ML5
LED MODULINEAR

JESCO
LIGHTING GROUP

ML5 DIMMABLE LED MODULINEAR

The latest addition to JESCO Lighting's multiple recessed downlights is the ML5 Modulinear Series. Designed to integrate perfectly with modern contemporary spaces, the ML5 provides a visually clean geometric look for upscale retail, offices, hospitality venues including restaurants, hotels, public spaces; galleries and museums; high-end residential spaces.

FEATURES

- Contemporary flush-to-ceiling design with adjustable gimbals provides a 15° tilt and 360° rotation.
- Offered in 1-, 2-, and 3-light configurations in a beautiful white or black finish.
- Aluminum construction with exceptional thermal management ensures long operating life.
- Switchable 5-level color-temperature from a warm 2700K to a cool 5000K facilitates easy lighting change as the interiors of the space changes.
- Suitable for Remodel and New Construction ceilings with optional mounting plates, Airtight and IC-rated housings.
- The one-light ML5 fixture is available with emergency ballast option.
- TRIAC dimming









ML5

MULTI-LIGHT MODULINEAR SERIES
WITH SWITCHABLE CCT

LED | 120V AC | 12W/ Head | 90+ CRI | DIM | 40° | 15° | 360° | Indoor WET | TITLE 24 COMPLIANT

Input: 120V AC
CCT: 5-Switchable (2700K, 3000K, 3500K, 4000K, 5000K)
Ratings: IC, Airtight
Dimming: TRIAC

Wattage and Lumen data based on 4000K

Housing	Model	LED Unit	Lumen	Efficacy
1-Light	**ML5-1-112M**	12W	800 Lm	67 Lm/W
2-Light Linear	**ML5-2-112M**	24W	1600 Lm	67 Lm/W
3-Light Linear	**ML5-3-112M**	36W	2400 Lm	67 Lm/W



Housing	Model	LED Unit	Housing			Cut-Out	
			L	W	H	L	W
			A	B	C		
1-Light	**ML5-1-112M**	(1) 12W	4 ⅜"	4 ⅜"	3 ¼"	3 ¾"Ø	-
2-Light Linear	**ML5-2-112M**	(2) 12W	7 ⅞"	4 ⅜"	3 ¼"	7 ¼"	3 ¾"
3-Light Linear	**ML5-3-112M**	(3) 12W	11 ⅝"	4 ⅜"	3 ¼"	10 ¼"	3 ¾"

FINISH

WH - White

OPTIONAL ACCESSORIES



RLH-23354-NC-UNI
New construction mounting plate with hanger bars for 1 Light



ML5-MP
New construction mounting plate with hanger bars for 2 or 3 Light

EM-LIN
Emergency Battery Backup
Optional for ML5-1 only



BK - Black

TO ORDER

MODEL		LIGHTS		INPUT		WATTAGE		BEAM ANGLE		CCT		FINISH
ML5	-		-	1	-	12	-	M	-	SW5	-	
		1 - 1 Light **2** - 2 Light **3** - 3 Light		**1** - 120V AC		**12** - 12W		**M** - 40°		**SW5** - 5-Switchable CCT		**WH** - White **BK** - Black

Consult factory for additional finish options.
Specifications subject to change without notice. See spec sheet or jescolighting.com for more details.

For more details and product specifications please visit
JESCOLIGHTING.COM

JESCO
LIGHTING GROUP

NEW YORK
CORPORATE OFFICE
15 Harbor Park Drive
Port Washington NY 11050
TEL 800 527 7796
FAX 855 265 5768

LOS ANGELES
219 South 6th Avenue
City of Industry CA 91746
TEL 800 527 7796
TEL 626 333 3661
FAX 626 333 2955

JESCOLIGHTING.COM
info@jescolighting.com

© 2021 JESCO Lighting

LCAT-ML5