

| Туре | |
|-------------|--|
| Project | |
| Catalog No. | |

INSTALLATION INSTRUCTIONS

Please read and save these instructions. Read carefully before using product. Protect yourself and others by observing all safety information, warnings and cautions. Failure to comply with instructions could result in personal injury and/or damage to product or property. Please retain instruction sheet for future reference.



IMPORTANT SAFETY INSTRUCTIONS



All electrical connections must be in accordance with local codes, ordinances and the National Electric Code. If you are unfamiliar with methods of installing electrical wiring, secure the services of a qualified licensed electrician.

- 1. Read and follow all safety instructions.
- 2. All electrical connections must be in accordance with local codes, ordinances and the National Electric Code. This product operates on 120-277V AC; always confirm the maximum wattage of the linear fixture does not exceed the maximum wattage of the circuit it is connected to. If you are unfamiliar with methods of installing electrical wiring, secure the services of a qualified licensed electrician.
- 3. Do not install the linear fixture if any damage is seen on the product or power cables.
- 4. Prior to starting the installation, disconnect the power by turning off the circuit breaker or removing the appropriate fuse. (Turning off power using the light switch is not sufficient to prevent electrical shock).




TURN OFF ELECTRICITY

at main fuse box (or circuit breaker box) before beginning installation by switching circuit breaker off or removing fuse. MIN 90° C SUPPLY CONDUCTORS.



CONSULT A QUALIFIED ELECTRICIAN TO **ENSURE CORRECT BRANCH CIRCUIT**

RATED 120-277 VOLT AC





www.jescolighting.com support@jescolighting.com Tech Support: 855.592.0029

15 Harbor Park Drive Port Washington, NY 11050 Main Line: 800.527.7796

Fax Line: 855.265.5768

219 South 6th Ave City of Industry, CA 91746 Main Line: 855.654.0110 Fax Line: 626.333.2955

JW 01/22/2021

LIN SERIES

LINEAR LED FIXTURE **EMERGENCY BATTERY WIRING DIAGRAM**

Туре Project Catalog No.



TURN OFF ELECTRICITY

at main fuse box (or circuit breaker box) before beginning installation by switching circuit breaker off or removing fuse. MIN 90° C SUPPLY CONDUCTORS.


CONSULT A QUALIFIED ELECTRICIAN TO ENSURE CORRECT BRANCH CIRCUIT RATED 120-277 VOLT AC




TOOLS REQUIRED



WIRE STRIPPER









www.jescolighting.com support@jescolighting.com Tech Support: 855.592.0029


15 Harbor Park Drive Port Washington, NY 11050 Main Line: 800.527.7796 Fax Line: 855.265.5768

219 South 6th Ave City of Industry, CA 91746 Main Line: 855.654.0110 Fax Line: 626.333.2955

JW 01/22/2021 Intertek









www.jescolighting.com support@jescolighting.com Tech Support: 855.592.0029

15 Harbor Park Drive Port Washington, NY 11050 Main Line: 800.527.7796 Fax Line: 855.265.5768


219 South 6th Ave City of Industry, CA 91746 Main Line: 855.654.0110 Fax Line: 626.333.2955


JW 01/22/2021 Intertek



LIN SERIES

LINEAR LED FIXTURE EMERGENCY BATTERY WIRING DIAGRAM Туре Project Catalog No.







www.jescolighting.com support@jescolighting.com **Tech Support:** 855.592.0029

15 Harbor Park Drive Port Washington, NY 11050 Main Line: 800.527.7796 Fax Line: 855.265.5768

219 South 6th Ave City of Industry, CA 91746 Main Line: 855.654.0110 Fax Line: 626.333.2955

JW 01/22/2021 Intertek