



*FOR USE UPON RECEIPT – 2018*

## **Madison, From JESCO Lighting, Comprises a Family of Minimalist Design AC LED Ceiling and Wall Sconces**

**New Product Introduction: Madison** — a four-model family of three-layer fused White or Black cased-glass ceiling pendants and wall sconces. Diffused light radiates through transparent seams around each glass diffuser, creating a secondary design element of adjoining glass sections. JESCO's *proprietary* AC LEDs power each model, providing simple installations, ready dimming, and substantial energy savings.

**Design:** JESCO Lighting Group In-House Design and Engineering Team.

**Manufacturer:** JESCO Lighting Group, founded 1998.

**Product Applications: Madison PD833 Pendants, WS830S, and WS830L Sconces**, are well suited for notable design applications in restaurants, hotel and building lobbies; casino interiors; medical and professional office facilities; merchandise showrooms; up-market retail boutiques; museums and galleries; condominiums, apartments, and other discriminating residential installations.

## **Madison Pendants and Sconces . . . page 2**

**Product Description: Madison PD832** Pendants comprise a semi-cone light-body shape, consisting of three white or black cased-glass sections connected with transparent glass seams. The black finish teams-up with a red cloth covered wire, the white with a grey cloth covered wire to electrify the pendant.

**Madison WS830S Wall Sconce** is a half-columnar design; **WS830L** is a half semi-cone shape. Both encompass three white or black cased-glass sections connected with transparent glass seams.

**Madison Pendants** and **Wall Sconces** are “instant-on,” no warm-up required. They produce no heat, emit no IR or UV waves and are free of mercury or hazardous materials.

All the fixtures feature JESCO’s AC LED light engines which do not require a driver. Eliminating the weakest link in the LED system guarantees the owner a very long lamp life. All the fixtures dim with standard triac incandescent dimmers for ease of installation.

**Construction & Finishes: Madison PD832 Pendants** are 9-inches in diameter by 13¼-inches high, and suspend up to 72-inches. They use a mere 12 watts to yield 1300 lumens; are available in 2700K or 3000K color temperatures, have a CRI >90.

**Madison WS830S** is 6-inches wide by 3-inches deep by 7½-inches high; use 8 watts to yield 850 lumens; is available in 2700K or 3000K color temperatures and has a CRI >90.

**Madison WS830L** is 7-5/8-inches wide by 3-inches deep, 17-inches high; its 10 watts yield 1075 lumens; is available in 2700K or 3000K color temperatures and has a CRI >90.

**Madison Pendant** and **Sconces** have a 50,000-hour lamplife (16 years at 8 hours per day), are dimmable with standard triac dimmer switches. White models have Satin

**Madison Pendants and Sconces . . . page 3**

Nickel fittings; Black models have Black fittings. Sconces are ADA compliant for wall applications in multiple sizes.

**Contact Information:** Learn more about JESCO products and capabilities by visiting: [www.jescolighting.com](http://www.jescolighting.com). JESCO Lighting Group's new plant and offices are located at 15 Harbor Park Drive, Port Washington, New York 11050. Telephone: (800) 527-7796. Fax: (855) 265-5768. E-mail: [sales@jescolighting.com](mailto:sales@jescolighting.com).

EDITOR, FOR MORE INFORMATION, PLEASE CONTACT:

Bill or Nancy Schoenfisch  
SCHOENFISCH INCORPORATED  
336 County Highway 24  
Richfield Springs, New York 13439  
(315) 858-8393/Phone  
(315) 858-9635/Fax  
[primages@aol.com](mailto:primages@aol.com)/E-mail