

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
APOxxC2-10 CABLE SUSPENSION	4	Architectural Pendant - Husk - Cord Suspension Elevation - 6" diamater	APWS	Architectural Pendant	10
APO06C2-10 ELEV	4	Architectural Pendant - Elevation - 6" diamater	APWS	Architectural Pendant	10
APO06 FXT PLN	4	Architectural Pendant - Fixture Plan - 6" diamater	APWS	Architectural Pendant	10
APO06C2-10 PLN	4	Architectural Pendant - Plan - 6" diamater	APWS	Architectural Pendant	10
APO09C2-10 ELEV	4	Architectural Pendant - Elevation - 9" diamater	APWS	Architectural Pendant	10
APO09 FXT PLN	4	Architectural Pendant - Fixture Plan - 9" diamater	APWS	Architectural Pendant	10
APO09C2-10 PLN	4	Architectural Pendant - Plan - 9" diamater	APWS	Architectural Pendant	10
APO12C2-10 ELEV	4	Architectural Pendant - Elevation - 12" diamater	APWS	Architectural Pendant	10
APO12 FXT PLN	4	Architectural Pendant - Fixture Plan - 12" diamater	APWS	Architectural Pendant	10
APO12C2-10 PLN	4	Architectural Pendant - Plan - 12" diamater	APWS	Architectural Pendant	10
APO16C2-10 ELEV	4	Architectural Pendant - Elevation - 16" diamater	APWS	Architectural Pendant	10
APO16 FXT PLN	4	Architectural Pendant - Fixture Plan - 16" diamater	APWS	Architectural Pendant	10
APO16C2-10 PLN	4	Architectural Pendant - Plan - 16" diamater	APWS	Architectural Pendant	10
BATT-LI-266Wh	15	Portable Power System - 239 What Hours	DL		
BATT-LI 24V REG	15	Portable Power System - 24 Volt Regulator	DL		
BATT-LI 120V charger	15	Portable Power System - 24 Volt Regulator	DL		
BL-MR5L-10W-xD-30-MWB FRONT	14	Micro-Linear, 5LT, 10W Front View	DL		
BL-MR5L-10W-xD-30-MWB FRONT W PS	14	Micro-Linear, 5LT, 10W Front View w/ power supply	DL		
BL-MR5L-10W-xD-30-MWB FRONT W PS 90D	14	Micro-Linear, 5LT, 10W Front View w/ power supply at 90°	DL		
BL-MR5L-10W-xD-30-MWB SEC W PS	14	Micro-Linear, 5LT, 10W Section View w/ power supply	DL		
BL-MRxL-xW-xD-30-MWB END	14	Micro-Linear, 5LT, 10W End View	DL		
BL-MR10L-20W-xD-30-MWB FRONT	14	Micro-Linear, 10LT, 20W Front View	DL		
BL-R2RG RCSD DWNLT SEC	14	Miniature Round Gimbal Downlight 9.5W	DL		
CBF I18 INPUT	9	18" Input Power Connector	CH	Lighting Solutions	37
CBF I18 INPUT 90	9	18" Input Power Connector - 90 degree	CH	Lighting Solutions	37
CBF I18 INPUT S	9	18" Input Power Connector - S Turn	CH	Lighting Solutions	37
CBF 1 RUN	9	Commercial Bespoke Lt Fixture - 1" run, 24V, 6W/ft	CH	Lighting Solutions	37
CBF 12 RUN	9	Commercial Bespoke Lt Fixture - 12" run, 24V, 6W/ft	CH	Lighting Solutions	37
CBF 12 INPUT	9	Commercial Bespoke Lt Fixture - 12" run, 24V, 6W/ft w/ Input Cable	CH	Lighting Solutions	37
CBF 12 INPUT R ANGLE	9	Commercial Bespoke Lt Fixture - 12" run, 24V, 6W/ft w/ Input Cable at right angle	CH	Lighting Solutions	37
CBF 12 OUTPUT	9	Commercial Bespoke Lt Fixture - 12" run, 24V, 6W/ft w/ Output Cable	CH	Lighting Solutions	37
CBF SEC 120d	9	Commercial Bespoke Lt Fixture - Section w/ 120° lens	CH	Lighting Solutions	37
CBF SEC 60d	9	Commercial Bespoke Lt Fixture - Section w/ 60° lens	CH	Lighting Solutions	37
CFX2-PRO-TOP	15	CFX2-PRO Top View	CH	Lighting Solutions	
CFX-2WR-CONN	15	CFX 2-Wire Direct Connector	CH	Lighting Solutions	
CH-FX-41	8C&20.1	Infina Channel	CH	Lighting Solutions	27
CH-FX-41-FR	8C&20.1	Infina Channel w/ Frosted Lens	CH	Lighting Solutions	27
CH-FX-41-FR LENS	8C&20.1	Infina Channel Frosted Lens	CH	Lighting Solutions	27
CH-ME-21	20.6	Medium Profiles Series	CH	Lighting Solutions	27
CH-ME-21-LC	20.6	Medium Profiles Series Lens Cover	CH	Lighting Solutions	27

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
CH-ME-22	20.6	Medium Profiles Series w/ Flange for recessed installation	CH	Lighting Solutions	27
CH-ME-23	20.6	Medium Profiles Series Paintable to match installation environment	CH	Lighting Solutions	27
CH-ME-24	20.6	45 °Medium Profiles Series anodized aluminum channel	CH	Lighting Solutions	27
CH-ME-25	20.6	Medium Profiles Series Round anodized aluminum channel	CH	Lighting Solutions	27
CH-RI-LC-FR	20.1	Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-LC-SQ-FR	20.1	Frosted Square Lens Cover	CH	Lighting Solutions	27
CH-RI-LC-RD-OP	20.1	Matte Opal Round Lens Cover	CH	Lighting Solutions	27
CH-RI-11	20.2	Rough-in Series Channel with 3/8" Flange	CH	Lighting Solutions	27
CH-RI-11 w SQ LENS	20.2	Rough-in Series Channel with 3/8" Flange w/ Square Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-11 w RD LENS	20.2	Rough-in Series Channel with 3/8" Flange w/ Round Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-11 w LENS	20.2	Rough-in Series Channel with 3/8" Flange w/ Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-12	20.3	Rough-in Series Channel with 1/16" Flange	CH	Lighting Solutions	27
CH-RI-12 w SQ LENS	20.3	Rough-in Series Channel with 1/16" Flange w/ Square Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-12 w RD LENS	20.3	Rough-in Series Channel with 1/16" Flange w/ Round Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-12 w LENS	20.3	Rough-in Series Channel with 1/16" Flange w/ Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-13	20.4	Rough-in Series Channel no Flange	CH	Lighting Solutions	27
CH-RI-13 w SQ LENS	20.4	Rough-in Series Channel no Flange w/ Square Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-13 w SQ LENS	20.4	Rough-in Series Channel no Flange w/ Square Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-13 w RD LENS	20.4	Rough-in Series Channel no Flange w/ Round Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-13 w LENS	20.4	Rough-in Series Channel no Flange w/ Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-14	20.5	Rough-in Series Channel	CH	Lighting Solutions	27
CH-RI-14	20.5	Rough-in Series Channel	CH	Lighting Solutions	27
CH-RI-14 w SQ LENS	20.5	Rough-in Series Channel w/ Square Frosted Lens Cover	CH	Lighting Solutions	27
CH-RI-14 w RD LENS	20.5	Rough-in Series Channel w/ Round Frosted Lens Cover	CH	Lighting Solutions	27
CH-SM-31 CLIP-A	20.7	Channel for DL-FLEX series - small profile series - metal adjustable clip w/ screws	CH	Lighting Solutions	27
CH-SM-31 CLIP-A-45	20.7	Channel for DL-FLEX series-small profile series-metal adjustable clip 45°w/ screws	CH	Lighting Solutions	27
CH-SM-31 CLIP	20.7	Channel for DL-FLEX series - small profile series - metal clip w/ screw	CH	Lighting Solutions	27
CH-SM-31-SEC	20.7	Channel for DL-FLEX series - small profile series	CH	Lighting Solutions	27
CH-SM-31-CL-FR-OP LENS	20.7	Channel for DL-FLEX series - small profile series: Clear-Opal-Frosted lens	CH	Lighting Solutions	27
CH-SM-31 FR60 LENS	20.7	Channel for DL-FLEX series - small profile series: Frosted 60° lens	CH	Lighting Solutions	27
CH-SM-32-SEC	20.7	Flanged channel - small profile series	CH	Lighting Solutions	27
CH-SM-32 FR60 LENS	20.7	Channel for DL-FLEX series - small profile series: Frosted 60° lens	CH	Lighting Solutions	27
CH-SM-33-CLIP	20.7	Wide channel - small profile series mounting clip	CH	Lighting Solutions	27
CH-SM-33-SEC	20.7	Wide channel - small profile series	CH	Lighting Solutions	27
CH-SM-33-SEC-FR-OP	20.7	Wide channel - small profile series Frosted-Opal Lens	CH	Lighting Solutions	27
CH-SM-34-SEC	20.7	Wide flanged channel - small profile series	CH	Lighting Solutions	27
CH-SM-34-FR-OP LENS	20.7	Wide flanged channel - small profile series - Frosted-Opal Lens	CH	Lighting Solutions	27
CH-SM-35-ARFR-SEC	20.7	45° channel - small profile series w/ Frosted Arched Lens	CH	Lighting Solutions	27
CH-SM-35-TROP-SEC	20.7	45° channel - small profile series w/ Triangle Opal Snap In Lens	CH	Lighting Solutions	27
CH-SM-35-BR-M	20.7	45° channel - small profile series w/ Triangle Opal Snap In Lens Mounting Clip	CH	Lighting Solutions	27

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
CM401M-XX-XX PLN	6	14" Square Ceiling Fixture with Acrylic Shade - Plan	E	Envisage V	8
CM401M-XX-XX SEC	6	14" Square Ceiling Fixture with Acrylic Shade - Section	E	Envisage V	8
CM401S-XX-XX PLN	6	14" Square Ceiling Fixture with Acrylic Shade - Plan	E	Envisage V	8
CM401S-XX-XX SEC	6	11" Square Ceiling Fixture with Acrylic Shade - Section	E	Envisage V	8
CM402M-XX-XX PLN	6	11" Round Ceiling Fixture with Acrylic Shade - Plan	E	Envisage V	5
CM402M-XX-XX SEC	6	14" Round Ceiling Fixture with Acrylic Shade - Section	E	Envisage V	5
CM403M-XX-XX PLN	6	14.5" Round Ceiling Fixture with Glass Shade - Plan	E	Envisage V	4
CM403M-XX-XX SEC	6	14.5" Round Ceiling Fixture with Glass Shade - Section	E	Envisage V	4
CM405M-XX-XX PLN	6	7-3/8" Round Ceiling Fixture with Acrylic Shade - Plan 15W	E	Envisage V	10
CM405M-XX-XX SEC	6	7-3/8" Round Ceiling Fixture with Acrylic Shade - Section 15W	E	Envisage V	10
CM405S-XX-XX PLN	6	6" Round Ceiling Fixture with Acrylic Shade - Plan 12W	E	Envisage V	10
CM405S-XX-XX SEC	6	6" Round Ceiling Fixture with Acrylic Shade - Section 12W	E	Envisage V	10
CM406S-XX-XX PLN	6	11-13/16" Round Ceiling Fixture with Acrylic Shade - Plan 15W	E	Envisage V	9
CM406S-XX-XX SEC	6	11-13/16" Round Ceiling Fixture with Acrylic Shade - Section 15W	E	Envisage V	9
CVX-HO-3090 TOP 12 RUN	15	CVX High Output LED 3.9W/ft; 12" Run Top View	DL		
CVX-HO-3090 TOP 12 RUN START	15	CVX High Output LED 3.9W/ft; 12" Run Top View w/ Input Connector	DL		
CVX-HO-3090 TOP 4 RUN	15	CVX High Output LED 3.9W/ft; 4" Run Top View	DL		
CVX-ST-3090 TOP 12 RUN	15	CVX Standard LED 2.7W/ft; 12" Run Top View	DL		
CVX-ST-3090 TOP 12 RUN START	15	CVX Standard LED 2.7W/ft; 12" Run Top View w/ Input Connector	DL		
CVX-ST-3090 TOP 4 RUN	15	CVX Standard LED 2.7W/ft; 4" Run Top View	DL		
DB-CC-R-PB/PB-6 TOP	15	Distribution Block 6 Port Top View			
DB-CC-R-PB/PB-6 TOP JMPR	15	Distribution Block 6 Port Top View w/ Jumpers			
DB-CNCTR SIDE	15	Distribution Block Connector Side View			
DB-CNCTR TOP JMPR	15	Distribution Block Connector Top View w/ Jumper			
DB-CNCTR JMPR	15	Distribution Block Jumper			
DB-CC-HW-PB-8-NJP SIDE	15	Distribution Block 8-Port Side	SP	Speciality Lighting	47
DB-CC-HW-PB-8-NJP TOP	15	Distribution Block 8-Port Top	SP	Speciality Lighting	47
DB-CV-DC/AMP1 FRONT	5 & 15	Distribution Block 1-Port Front	SP	Speciality Lighting	47
DB-CV-DC/AMP3 END	5 & 15	Distribution Block End	SP	Speciality Lighting	47
DB-CV-DC/AMP3 FRONT	5 & 15	Distribution Block 3-Port Front	SP	Speciality Lighting	47
DB-CV-DC/AMP3 SIDE	5 & 15	Distribution Block 3-Port Side	SP	Speciality Lighting	47
DB-CV-DC/AMP6 FRONT	5 & 15	Distribution Block 6-Port Front	SP	Speciality Lighting	47
DB-CV-DC/AMP6 SIDE	5 & 15	Distribution Block 6-Port Side	SP	Speciality Lighting	47
DB-CV-DC/PG-1	5 & 17	Adapter to convert Type G Connector to Barrel Connector	SP	Speciality Lighting	47
DB-CV-HW/AMP3 FRONT	5 & 15	Distribution Block 3-Port Front Hard wire	SP	Speciality Lighting	47
DB-CV-HW/AMP6 FRONT	5 & 15	Distribution Block 6-Port Front Hard wire	SP	Speciality Lighting	47
DB-CV-PD-PD-6	15	24VDC 6-port constant voltage distribution box w/ PD in/out connector			
DB-CV-EXT-PD-PD-36	15	24VDC 36" extension cable w/ PD connector			
DB-OD-HW-T	10	Distribution Block Outdoor "T" IP67 20 Amp Max (6.5-10mm)	LOW	WW2 LED WALL	
DIM-ELV REVERSE PHASE SYM	7	Dimming Symbol Electronic Low Voltage Reverse Phase			

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DIM-TRIAC FORWARD PHASE SYM	7	Dimming Symbol 0-10 Volt			
DIM 0-10V SYM	7	Dimming Symbol Triac Forward Reverse Phase			
DL-AC-FLEX-CC3	8C	Flexible AC LED Linear fixture - Connecting Cable 3"	SP	Lighting Solutions	24
DL-AC-FLEX-CC3-20	8C	Flexible AC LED Linear fixture - Connecting Cable 3" 20°	SP	Lighting Solutions	24
DL-AC-FLEX-CC3-45	8C	Flexible AC LED Linear fixture - Connecting Cable 3" 45°	SP	Lighting Solutions	24
DL-AC-FLEX-CC3-90	8C	Flexible AC LED Linear fixture - Connecting Cable 3" 90°	SP	Lighting Solutions	24
DL-AC-FLEX-CC6	8C	Flexible AC LED Linear fixture - Connecting Cable 6"	SP	Lighting Solutions	24
DL-AC-FLEX-CC12	8C	Flexible AC LED Linear fixture - Connecting Cable 12"	SP	Lighting Solutions	24
DL-AC-FLEX-CC24	8C	Flexible AC LED Linear fixture - Connecting Cable 24"	SP	Lighting Solutions	24
DL-AC-FLEX-CC24 180-6	8C	Flexible AC LED Linear fixture - Connecting Cable 24", 180° turn, 6" apart	SP	Lighting Solutions	24
DL-AC-FLEX-CC24 180-12	8C	Flexible AC LED Linear fixture - Connecting Cable 24", 180° turn, 12" apart	SP	Lighting Solutions	24
DL-AC-FLEX-CH	8C & 20	INFINA Channel End View			24
DL-AC-FLEX-CH-M-BR	20	INFINA METAL MOUNTING CLIP Plan View			24
DL-AC-FLEX-CH-M-BR END	20	INFINA METAL MOUNTING CLIP Plan View			24
DL-AC-FLEX-CH-M-BR SEC	20	INFINA METAL MOUNTING CLIP Section			24
DL-AC-FLEX-CH-M-BR ORTHO	20	INFINA METAL MOUNTING CLIP Ortho View			24
DL-AC-FLEX-CH6M SEC	20	INFINA 6'-6" METAL MOUNTING CHANNEL Section			24
DL-AC-FLEX-CH6M w CLIP-SCREW SEC	20	INFINA 6'-6" METAL MOUNTING CHANNEL w Mnt Clip, Screw Section			24
DL-AC-FLEX-CH6M-45 SEC	20	INFINA 6'-6" METAL MOUNTING CHANNEL-45° Section			24
DL-AC-FLEX-CH6M-45 SEC w SCREW	20	INFINA 6'-6" METAL MOUNTING CHANNEL-45° Sect w/ screw mnt			24
DL-AC-FLEX-FLEX-CON	8C	Flexible AC LED Linear fixture - Flexible Connector	SP	Lighting Solutions	24
DL-AC-FLEX-FLEX-CON-55	8C	Flexible AC LED Linear fixture - Flexible Connector 55°	SP	Lighting Solutions	24
DL-AC-FLEX-FLEX-CON-90	8C	Flexible AC LED Linear fixture - Flexible Connector 90°	SP	Lighting Solutions	24
DL-AC-FLEX	8C	Flexible AC LED Linear fixture - 4W/ft, 120V	SP	Lighting Solutions	24
DL-AC-FLEX-4 inch	8C	Flexible AC LED Linear fixture - 4W/ft, 120V - 4 inch	SP	Lighting Solutions	24
DL-AC-FLEX-8 inch	8C	Flexible AC LED Linear fixture - 4W/ft, 120V - 8 inch	SP	Lighting Solutions	24
DL-AC-FLEX-SIDE	8C	Flexible AC LED Linear fixture - 4W/ft, 120V - Side View	SP	Lighting Solutions	24
DL-AC-FLEX-EC	8C	Flexible AC LED Linear fixture End Cap	SP	Lighting Solutions	24
DL-AC-FLEX-EC END	8C	Flexible AC LED Linear fixture End Cap End View	SP	Lighting Solutions	24
DL-AC-FLEX-EC SIDE	8C	Flexible AC LED Linear fixture End Cap Side View	SP	Lighting Solutions	24
DL-AC-FLEX-HW	8C	Flexible AC LED Linear fixture - 120V Hard Wire Cable, Cvr Plate w/ Surge Protector	SP	Lighting Solutions	24
DL-AC-FLEX-HW CNCTR	8C	Flexible AC LED Linear fixture - 120V Hard Wire Cable, Cvr Plate w/ Surge Protector	SP	Lighting Solutions	24
DL-AC-FLEX-MC-HW	8C	Flexible AC LED Linear fixture Mounting U Clip	SP	Lighting Solutions	24
DL-AC-FLEX-MC-M	8C	Flexible AC LED Linear fixture Metal Mounting Clip	SP	Lighting Solutions	24
DL-AC-FLEX-PCHW	8C	Flexible AC LED Linear fixture - 120V Hard Wire Cable w/ Surge Protector	SP	Lighting Solutions	24
DL-AC-FLEX-PC6	8C	Flexible AC LED Linear fixture - 120V Power Cord w/ Surge Protector	SP	Lighting Solutions	24
DL-AC-FLEX-PC6-90	8C	Flexible AC LED Linear fixture - 120V Power Cord w/ Surge Protector	SP	Lighting Solutions	24
DL-AC-FLEX-75-PC2	8C	Flexible AC LED Linear fixture - 120V Power Cord w/ Surge Protector >75'	SP	Lighting Solutions	24
DL-AC-FLEX-75-PC2 PLN	8C	Flexible AC LED Linear fixture - 120V Power Cord w/ Surge Protector >75'	SP	Lighting Solutions	24
DL-AC-FLEX SURG PROT MOD	8C	Flexible AC LED Linear fixture - Surge Protector Module	SP	Lighting Solutions	24

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-AC-FLEX-75 SP	8C	Flexible AC LED Linear fixture - Surge Protector Module >75'	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC 2	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section Side	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC SWIVEL KNOB	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section Swivel w/ Knob	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC-BASE	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section Swivel Base	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC 0D	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section 0 Degrees	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC 30D	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section 30 Degrees	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC 60D	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section 60 Degrees	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC 90D	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section 90 Degrees	SP	Lighting Solutions	24
DL-AC-FLEX2-ADJBR-SEC w D	8C	Flexible AC LED Linear fixture -Adjustable Bracket Section w/ degrees	SP	Lighting Solutions	24
DL-AC-FLEX2-CC06-I	8C	Flexible AC LED Linear fixture -Connecting Cables: 6" Input Plug & Play	SP	Lighting Solutions	24
DL-AC-FLEX2-CC06-O	8C	Flexible AC LED Linear fixture -Connecting Cables: 6" Output Plug & Play	SP	Lighting Solutions	24
DL-AC-FLEX2-CCxx	8C	Flexible AC LED Linear fixture -Connecting Cables: 3", 6", 12", 24"	SP	Lighting Solutions	24
DL-AC-FLEX2-CCxx 45D	8C	Flexible AC LED Linear fixture -Connecting Cables: 45° Angle 3", 6", 12", 24"	SP	Lighting Solutions	24
DL-AC-FLEX2-CCxx 90D	8C	Flexible AC LED Linear fixture -Connecting Cables: Right Angle 3", 6", 12", 24"	SP	Lighting Solutions	24
DL-AC-FLEX2-CH6-SEC	8C	Flexible AC LED Linear fixture - 6 foot channel sec	SP	Lighting Solutions	24
DL-AC-FLEX2 END CAP	8C	Flexible AC LED Linear fixture - End Cap	SP	Lighting Solutions	24
DL-AC-FLEX2-EXT18	8C	Flexible AC LED Linear fixture -Extension Cable 18" Plug and Play	SP	Lighting Solutions	24
DL-AC-FLEX2-HW08	8C	Flexible AC LED Linear fixture - Hardwire 8 inches	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8 CNCTR	8C	Flexible AC LED Linear fixture - JA8 Connector	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8 EC	8C	Flexible AC LED Linear fixture - JA8 Plug End Cap	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8-MC-HW TOP	8C	Flexible AC LED Linear fixture - JA8 Metal Clip Top View	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8-MC-HW SEC	8C	Flexible AC LED Linear fixture - JA8 Metal Clip Section w/ Screws	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8 P&P	8C	Flexible AC LED Linear fixture - JA8 Plug and Play connector	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8 RUN	8C	Flexible AC LED Linear fixture - JA8 12" Run	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8 SEC	8C	Flexible AC LED Linear fixture - JA8 Section	SP	Lighting Solutions	24
DL-AC-FLEX2-JA8 START	8C	Flexible AC LED Linear fixture - JA8 12" Start	SP	Lighting Solutions	24
DL-AC-FLEX2-MCM PLN	8C	Flexible AC LED Linear fixture - Metal Channel Mounting Clip - Plan	SP	Lighting Solutions	24
DL-AC-FLEX2-MCM SEC	8C	Flexible AC LED Linear fixture - Metal Channel Mounting Clip - Section	SP	Lighting Solutions	24
DL-AC-FLEX2-MCM SEC w SCREW	8C	Flexible AC LED Linear fixture - Metal Channel Mounting Clip - Section w/ Screw	SP	Lighting Solutions	24
DL-AC-FLEX2- PLUG	8C	Flexible AC LED Linear fixture - P&P Plug	SP	Lighting Solutions	24
DL-AC-FLEX2 PWR CNCTR	8C	Flexible AC LED Linear fixture - Power Connector	SP	Lighting Solutions	24
DL-AC-FLEX2-UT START HW	8C	Flexible AC LED Linear fixture - Power Connector Hard Wire Start HW	SP	Lighting Solutions	24
DL-AC-FLEX2 SEC	8C	Flexible AC-FLEX2 Section	SP	Lighting Solutions	24
DL-AC-FLEX2 START HW	8C	Flexible AC LED Linear fixture - Start Hard Wire	SP	Lighting Solutions	24
DL-AC-FLEX2-UT 12 RUN	8C	Flexible AC LED Linear fixture - 12" Run	SP	Lighting Solutions	24
DL-AC-FLEX2-UT 2 RSTRS	8C	Flexible AC LED Linear fixture - Two Resistors on board	SP	Lighting Solutions	24
DL-AC-FLEX2-UT 3 RUN	8C	Flexible AC LED Linear fixture - 3" Run	SP	Lighting Solutions	24
DL-AC-FLEX2-UT 4 RSTRS	8C	Flexible AC LED Linear fixture - Four Resistors on board	SP	Lighting Solutions	24
DL-AC-FLEX2-UT 6 RUN	8C	Flexible AC LED Linear fixture - 6" Run	SP	Lighting Solutions	24

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-AC-FLEX2-UT IC	8C	Flexible AC LED Linear fixture - Integrated Circuit	SP	Lighting Solutions	24
DL-AC-FLEX2-UT IC2	8C	Flexible AC LED Linear fixture - 2 Integrated Circuit	SP	Lighting Solutions	24
DL-AC-FLEX2-UT LED	8C	Flexible AC LED Linear fixture - LED	SP	Lighting Solutions	24
DL-AC-FLEX2-UT RSTR	8C	Flexible AC LED Linear fixture - Resistor	SP	Lighting Solutions	24
DL-AC-FLEX2-UT RSTR L	8C	Flexible AC LED Linear fixture - Resistor LEFT	SP	Lighting Solutions	24
DL-AC-FLEX2-UT SG-MC-45	8C	Flexible AC LED Linear fixture -45° Metal Mnt Clip	SP	Lighting Solutions	24
DL-AC-FLEX2-UT START HW	8C	Flexible AC LED Linear fixture - 12" Start Plug & Play	SP	Lighting Solutions	24
DL-AC-FLEX2-UT START P&P	8C	Flexible AC LED Linear fixture - 12" Start Plug & Play	SP	Lighting Solutions	24
DL-AC-FLEX2-UT TOP 12 RUN	8C	Flexible AC LED Linear fixture - 12" Run Top View	SP	Lighting Solutions	24
DL-FLEX2-CLAMP-PC-10A	8B	DL-FLEX2 Plug and Play Power Connector	SP		
DL-FLEX2-CLAMP-PC-10B	8B	DL-FLEX2 Plug and Play Power Connector	SP		
DL-FLEX2-CLAMP-TT10A SIDE	8B	DL-FLEX2 External Clamp Connector TT10A Side View	SP		
DL-FLEX2-CLAMP-TT10A TOP	8B	DL-FLEX2 External Clamp Connector TT10A Top View	SP		
DL-FLEX2-CLAMP-TT10B SIDE	8B	DL-FLEX2 External Clamp Connector TT10B Side View	SP		
DL-FLEX2-CLAMP-TT10B TOP	8B	DL-FLEX2 External Clamp Connector TT10B Top View	SP		
DL-FLEX2-CLAMP-WT10B SIDE	8B	DL-FLEX2 External Clamp Connector Wire to Tape (WT) 10B Side View	SP		
DL-FLEX2-CLAMP-WT10B TOP	8B	DL-FLEX2 External Clamp Connector Wire to Tape (WT) 10B Top View	SP		
DL-FLEX2-CLAMP-TT12 SIDE	8B	DL-FLEX2 External Clamp Connector TT12 Side View	SP		
DL-FLEX2-CLAMP-TT12 TOP	8B	DL-FLEX2 External Clamp Connector TT12 Top View	SP		
DL-FLEX2-CLAMP-WT12 TOP	8B	DL-FLEX2 External Clamp Connector WT12 Top View	SP		
DL-FLEX2-CLAMP-WT12 SIDE	8B	DL-FLEX2 External Clamp Connector WT12 Side View	SP		
DL-FLEX2-X-CTA-CONN	5	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Universal "X"Connector	SP		
DL-FLEX2-4-CTA	8B	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Top View, RUN 3-15/16"	SP		
DL-FLEX2-8-CTA	8B	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Top View, RUN 7-7/8"	SP		
DL-FLEX2-CTA-CC6	8B	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Connecting Cable 5-7/8"	SP		
DL-FLEX2-CTA-CC12	8B	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Connecting Cable 11-7/8"	SP		
DL-FLEX2-CTA-PC-HW	8B	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Pwr Cnctr Hardwire	SP		
DL-FLEX2-CTA TOP RUN	8B	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Top View, RUN 11-7/8"	SP		
DL-FLEX2-CTA TOP START	8B	Flexible Linear Tape: CTA, 24V, 2.42W/Ft Top View, START 11-7/8"	SP		
DL-FLEX2-DEL-TOP RUN	8B	Flexible Linear Tape: DEL, 24V, 3.7W/Ft Top View, Run 12"	SP		
DL-FLEX2-DEL-TOP RUN 1	8B	Flexible Linear Tape: DEL, 24V, 3.7W/Ft Top View, Run 1" Minimum	SP		
DL-FLEX2-DEL-TOP START	8B	Flexible Linear Tape: DEL, 24V, 3.7W/Ft Top View, Start 12"	SP		
DL-FLEX2-DEL-SIDE RUN	8B	Flexible Linear Tape: DEL, 24V, 3.7W/Ft Side View, Run 12"	SP		
DL-FLEX2-DEL-SIDE START	8B	Flexible Linear Tape: DEL, 24V, 3.7W/Ft Side START, Run 12"	SP		
DL-FLEX2-DTW-3018 RUN 3	8B	Flexible Linear Tape: FS, 24V, 5.3W/Ft RUN, " w/ Tape-toTape Cnnctr	SP		
DL-FLEX2-DTW-3018 RUN 6	8B	Flexible Linear Tape: FS, 24V, 5.3W/Ft RUN, 6" w/ Tape-toTape Cnnctr	SP		
DL-FLEX2-DTW-3018 RUN	8B	Flexible Linear Tape: FS, 24V, 5.3W/Ft RUN, 12" w/ Tape-toTape Cnnctr	SP		
DL-FLEX2-DTW-3018 RUN SIDE	8B	Flexible Linear Tape: FS, 24V, 5.3W/Ft RUN, 12" Side View w/ Tape-toTape Cnnctr	SP		
DL-FLEX2-DTW-3018 START SIDE	8B	Flexible Linear Tape: FS, 24V, 5.3W/Ft START, 12" Side View w/ Wire-toTape Cnnctr	SP		
DL-FLEX2-DTW-3018 START	8B	Flexible Linear Tape: FS, 24V, 5.3W/Ft START, 12" w/ Wire-toTape Cnnctr	SP		

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-FLEX2-FS-SIDE START	8B	Flexible Linear Tape: FS, 24V, 4.39W/Ft Side START, 12"	SP		
DL-FLEX2-FS-SIDE RUN	8B	Flexible Linear Tape: FS, 24V, 4.39W/Ft Side, Run 12"	SP		
DL-FLEX2-FS-TOP START	8B	Flexible Linear Tape: FS, 24V, 4.39W/Ft Top, START 12"	SP		
DL-FLEX2-FS-TOP RUN	8B	Flexible Linear Tape: FS, 24V, 4.39W/Ft Top RUN, 12"	SP		
DL-FLEX2-FS-TOP RUN 2	8B	Flexible Linear Tape: FS, 24V, 4.39W/Ft Top RUN Minimum 2"	SP		
DL-FLEX2-LNSB SEC END	8B	Flexible Linear Tape: Neon Light 24V, 2.74W/Ft; Side Bend Section End View	SP		
DL-FLEX2-LNSB	8B	Flexible Linear Tape: Neon Light 24V, 2.74W/Ft	SP		
DL-FLEX2-LNSB-TS-PC-M	8B	Flexible Linear Tape: Neon Light 24V, 2.74W/Ft w/ Power Feed	SP		
DL-FLEX2-LNSB-EXT12-HW-F	8B	Flexible Linear Tape: Neon Light 24V Power Feed	SP		
DL-FLEX2-LNTB-TS-PC-M	8B	Flexible Linear Tape: Neon Light 24V, 2.74W/Ft w/ Power Feed	SP		
DL-FLEX2-LNTB-EXT12-HW-F	8B	Flexible Linear Tape: Neon Light 24V Power Feed	SP		
DL-FLEX2-LNTB SEC END	8B	Flexible Linear Tape: Neon Light 24V, 2.74W/Ft; Top Bend Section End View	SP		
DL-FLEX2-RGB-HD-SIDE RUN	8B	Flexible Linear Tape: RGB-HD, 24V, 3.84W/Ft Side View, Run 12"	SP		
DL-FLEX2-RGB-HD-SIDE START	8B	Flexible Linear Tape: RGB-HD, 24V, 3.84W/Ft Side View, Start	SP		
DL-FLEX2-RGB-HD-TOP START	8B	Flexible Linear Tape: RGB-HD, 24V, 3.84W/Ft Top View, Start	SP		
DL-FLEX2-RGB-HD-TOP RUN	8B	Flexible Linear Tape: RGB-HD, 24V, 3.84W/Ft Top View, 12" RUN	SP		
DL-FLEX2-RGB-HD-TOP RUN 1-7-16	8B	Flexible Linear Tape: RGB-HD, 24V, 3.84W/Ft Top View, Minimum Run	SP		
DL-FLEX2-RGBW-TOP START	8B	Flexible Linear Tape: RGBW, 24V, 4.05W/Ft Top View, Start	SP		
DL-FLEX2-RGBW-TOP RUN	8B	Flexible Linear Tape: RGBW, 24V, 4.05W/Ft Top View, Run	SP		
DL-FLEX2-RGBW-SIDE RUN	8B	Flexible Linear Tape: RGBW, 24V, 4.05W/Ft Side View, Run	SP		
DL-FLEX2-RGBW-SIDE START	8B	Flexible Linear Tape: RGBW, 24V, 4.05W/Ft Side View, Start	SP		
DL-FLEX2-RGBWW-TOP START	8B	Flexible Linear Tape: RGBWW, 24V, 4.69W/Ft Top View, Start	SP		
DL-FLEX2-RGBWW-TOP RUN	8B	Flexible Linear Tape: RGBWW, 24V, 4.69W/Ft Top View, Run	SP		
DL-FLEX2-RGBWW-SIDE RUN	8B	Flexible Linear Tape: RGBW, 24V, 4.69W/Ft Side View, Run	SP		
DL-FLEX2-RGBWW-SIDE START	8B	Flexible Linear Tape: RGBWW, 24V, 4.69W/Ft Side View, Start	SP		
DL-FLEX2-SC-TOP START	8B	Flexible Linear Tape: SC, 24V, 4.27W/Ft Top View, Start	SP		
DL-FLEX2-SC-TOP RUN	8B	Flexible Linear Tape: SC, 24V, 4.27W/Ft Top View, Run	SP		
DL-FLEX2-SC-TOP 3-8	8B	Flexible Linear Tape: SC, 24V, 4.27W/Ft Top View, Run Minimum 3/8"	SP		
DL-FLEX2-SC-SIDE RUN	8B	Flexible Linear Tape: SC, 24V, 4.27W/Ft Side View, Run	SP		
DL-FLEX2-SC-SIDE START	8B	Flexible Linear Tape: SC, 24V, 4.27W/Ft Side View, Start	SP		
DL-FLEX2-SEL-SIDE RUN	8B	Flexible Linear Tape: SHD, 24V, 2.93W/Ft Side View, Run	SP		
DL-FLEX2-SEL-SIDE START	8B	Flexible Linear Tape: SHD, 24V, 2.93W/Ft Side View, Start	SP		
DL-FLEX2-SEL-TOP RUN	8B	Flexible Linear Tape: SHD, 24V, 2.93W/Ft Top View, Run	SP		
DL-FLEX2-SEL-TOP START	8B	Flexible Linear Tape: SHD, 24V, 2.93W/Ft Top View, Start	SP		
DL-FLEX2-SEL-TOP MINIM 1-31-32	8B	Flexible Linear Tape: SHD, 24V, 2.93W/Ft Top View, Run Minimum cut 1-31/32"	SP		
DL-FLEX2-SHD-TOP START	8B	Flexible Linear Tape: SHD, 24V, 4.3W/Ft Top View, Start	SP		
DL-FLEX2-SHD-TOP RUN	8B	Flexible Linear Tape: SHD, 24V, 4.3W/Ft Top View, Run	SP		
DL-FLEX2-SHD-TOP RUN-7-8	8B	Flexible Linear Tape: SHD, 24V, 4.3W/Ft Top View, Run 7/8"	SP		
DL-FLEX2-SHD-SIDE RUN	8B	Flexible Linear Tape: SHD, 24V, 4.3W/Ft Side View, Run	SP		
DL-FLEX2-SHO-end	8B	Flexible Linear Tape: SHO, 24V, 8.91W/Ft, End View	SP		

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-FLEX2-SHO-SIDE RUN	8B	Flexible Linear Tape: SHO, 24V, 8.91W/Ft, Side View, Run	SP		
DL-FLEX2-SHD-SIDE START	8B	Flexible Linear Tape: SHD, 24V, 4.3W/Ft Side View, Start	SP		
DL-FLEX2-SHO-SIDE RUN-1-7-16	8B	Flexible Linear Tape: SHO, 24V, 8.91W/Ft, SIDE View, Run, Min 1-7/16"	SP		
DL-FLEX2-SHO-TOP RUN-1-7-16	8B	Flexible Linear Tape: SHO, 24V, 8.91W/Ft, Top View, Run, Min 1-7/16"	SP		
DL-FLEX2-SHO-TOP RUN	8B	Flexible Linear Tape: SHO, 24V, 8.91W/Ft, Top View, Run	SP		
DL-FLEX2-SHO-TOP START	8B	Flexible Linear Tape: SHO, 24V, 8.91W/Ft, Top View, Start	SP		
DL-FLEX2-TILE-2412	5	FLEXTILE Static White Flexible LED Sheet 24"W x 12" H	DL		
DL-FLEX2-TILE-2412-40W-CTA	5	FLEXTILEColor Tuning Flexible LED Sheet 24"W x 12" H; 1800-3000K	DL		
DL-FLEX2-TILE-2412-80W-RGBW	5	FLEXTILEColor Tuning Flexible LED Sheet 24"W x 12" H; RGBW	DL		
DL-FLEX2-TILE-CC CNCTR	5	FLEXTILE Connecting Cable Connector	DL		
DL-FLEX2-TILE-CC03	5	FLEXTILE Connecting Cable 3"	DL		
DL-FLEX2-TILE-CC12	5	FLEXTILE Connecting Cable 12"	DL		
DL-FLEX2-TILE-CTA-PC-HW12	5	FLEXTILEColor Tuning Flexible LED Sheet Hardwire Power Connector	DL		
DL-FLEX2-TILE-CTA-CC03	5	FLEXTILEColor Tuning Flexible LED Sheet Connecting Cable 3" wire	DL		
DL-FLEX2-TILE-CTA-CC12	5	FLEXTILEColor Tuning Flexible LED Sheet Connecting Cable 12" wire	DL		
DL-FLEX2-TILE-PC-12	5	FLEXTILE Plug and Play Power Cord 12"	DL		
DL-FLEX2-TILE-PC-HW-12	5	FLEXTILE Plug and Play Power Cord 12" Hardwire	DL		
DL-FLEX2-TILE-RGBW-PC-HW-12	5	FLEXTILE Plug and Play Power Cord 12" Hardwire RGBW	DL		
DL-FLEX2-TILE-X-CTA-CONN	5	FLEXTILE "X" Connecting Cable CTA	DL		
DL-FLEX2-UP TOP START	8B	Flexible Linear Tape: UP, 24V, 1.3W/Ft Top View, Start	SP		
DL-FLEX2-UP TOP RUN	8B	Flexible Linear Tape: UP, 24V, 1.3W/Ft Top View, Run	SP		
DL-FLEX2-UP TOP MIN 3-15-16	8B	Flexible Linear Tape: UP, 24V, 1.3W/Ft Top View, Minimal cut 3-15/16"	SP		
DL-FLEX2-UP SIDE START	8B	Flexible Linear Tape: UP, 24V, 1.3W/Ft Side View, Start	SP		
DL-FLEX2-UP SIDE RUN	8B	Flexible Linear Tape: UP, 24V, 1.3W/Ft Side View, Run	SP		
DL-FLEX2-UP-HO TOP START	8B	Flexible Linear Tape: High Output, 24V, 2.8W/Ft Top View, Start	SP		
DL-FLEX2-UP-HO TOP RUN	8B	Flexible Linear Tape: High Output, 24V, 2.8W/Ft Top View, Run	SP		
DL-FLEX2-UP-HO TOP MIN 3-15-16	8B	Flexible Linear Tape: High Output, 24V, 2.8W/Ft Top View, Minimal Cut 3-15/16"	SP		
DL-FLEX2-UP-HO SIDE START	8B	Flexible Linear Tape: High Output, 24V, 2.8W/Ft Side View, Start	SP		
DL-FLEX2-UP-HO SIDE RUN	8B	Flexible Linear Tape: High Output, 24V, 2.8W/Ft Side View, Run	SP		
DL-FLEX2-UP-ULTRA END	8B	Flexible Linear Tape: Ultra, 24V, 4.1W/Ft End View	SP		
DL-FLEX2-UP-ULTRA TOP START	8B	Flexible Linear Tape: Ultra, 24V, 4.1W/Ft Top View, Start	SP		
DL-FLEX2-UP-ULTRA TOP RUN	8B	Flexible Linear Tape: Ultra, 24V, 4.1W/Ft Top View, Run	SP		
DL-FLEX2-UP-ULTRA TOP MIN 3-15-16	8B	Flexible Linear Tape: Ultra, 24V, 4.1W/Ft Top View, Minimal Cut 3-15/16"	SP		
DL-FLEX2-UP-ULTRA SIDE START	8B	Flexible Linear Tape: Ultra, 24V, 4.1W/Ft Side View, Start	SP		
DL-FLEX2-UP-ULTRA SIDE RUN	8B	Flexible Linear Tape: Ultra, 24V, 4.1W/Ft Side View, Run	SP		
DL-FLEX2-UP-ULTRA-NIC TOP RUN	8B	Flexible Linear Tape: Ultra Non Integrated Cir, 24V, 3.46W/Ft Top View, Run	SP		
DL-FLEX2-UP-ULTRA-NIC TOP START	8B	Flexible Linear Tape: Ultra Non Integrated Cir, 24V, 3.46W/Ft Top View, Start	SP		
DL-FLEX2-UP-ULTRA-NIC TOP MIN 3-15-16	8B	Flexible Linear Tape: Ultra Non Integrated Cir, 24V, 3.46W/Ft Top View, Min	SP		
DL-FLEX2-UP-ULTRA-NIC SIDE START	8B	Flexible Linear Tape: Ultra Non Integrated Cir, 24V, 3.46W/Ft Side View, Start	SP		
DL-FLEX2-UP-ULTRA-NIC SIDE START	8B	Flexible Linear Tape: Ultra Non Integrated Cir, 24V, 3.46W/Ft Side View, Run	SP		

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-FLEX-ACX-WW 12	8B	LED 120V, Flexible Lighting, 3000 & 4000K, 4.5W/ft, 12"	LDA		
DL-FLEX-ACX-BU 19	8	LED 120V, Flexible Lighting, Blue-Red 2.13W/ft, 19"	LDA		
DL-FLEX-ACX-CC3-90	8	DL-FLEX-ACX Connecting Cables - 3" w/ 90° bend	LDA		
DL-FLEX-ACX-CC12-90	8	DL-FLEX-ACX Connecting Cables - 12" w/ 90° bend	LDA		
DL-FLEX-ACX-CCx	8	DL-FLEX-ACX Connecting Cables - 3", 6", 12"	LDA		
DL-FLEX-ACX-CH3 ELEV	8	Plastic Mounting Channel Elevation			
DL-FLEX-ACX-HW	8	ACX Hard Wire Details			
DL-FLEX-ACX-MC	8	Mounting Clip Stainless Steel			
DL-FLEX-ACX-PC	8	Power Feed, 18-1/2"	LDA		
DL-FLEX-ACX-PC2	8	Power Feed, 35-1/2"	LDA		
DL-FLEX-ACX-SEC	8	RE-ACX-FLEX section/end view	LDA		
DL-FLEX-CC6 90	8	LED Flexible tape mid connector - 6" Right Angle	LF	DL-FLEX Series	2
DL-FLEX-CC6	8	LED Flexible tape mid connector - 6"	LF	DL-FLEX Series	2
DL-FLEX-CC12	8	LED Flexible tape mid connector - 12"	LF	DL-FLEX Series	2
DL-FLEX-CC24	8	LED Flexible tape mid connector - 24"	LF	DL-FLEX Series	2
DL-FLEX-CHSET-6	8	6' Aluminum Mounting Channel w/ frosted domed acrylic lens	LF		
DL-FLEX-CTA	8	LED Flexible Linear Color Temperature Adjustable	LF		
DL-FLEX-CTA4	8	LED Flexible Linear Color Temperature Adjustable - 4 inch cut	LF		
DL-FLEX-CTA8	8	LED Flexible Linear Color Temperature Adjustable - 8 inch cut	LF		
DL-FLEX-CTA SEC	8	LED Flexible Linear Color Temperature Adjustable -Section	LF		
DL-FLEX-CTA-CC6	8	LED Flexible Inear Color Temperature Adjustable 6" Connecting Cable	LF		
DL-FLEX-CTA-CC12	8	LED Flexible Inear Color Temperature Adjustable 12" Connecting Cable	LF		
DL-FLEX-HD-1	8B	1-1/8" FLEX HD	LF	Illuminescence	394
DL-FLEX-HD-6	8B	6" Connecting Cable	LF	Illuminescence	394
DL-FLEX-HD-12	8B	12" Connecting Cable	LF	Illuminescence	394
DL-FLEX-HD-CONN TT TOP	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Connector Tape-Tape, Top	LF	Illuminescence	394
DL-FLEX-HD-CONN TT SIDE	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Connector Tape-Tape Side	LF	Illuminescence	394
DL-FLEX-HD TOP RUN MINIM 1-1-16	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Top View, Minimum Run 1-1/16"	LF	Illuminescence	394
DL-FLEX-HD-PC HW TOP	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Top Hardwire	LF	Illuminescence	394
DL-FLEX-HD-PC PP TOP	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Top Plug & Play	LF	Illuminescence	394
DL-FLEX-HD-PC WT TOP	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Top Power Connector Wire-Tape	LF	Illuminescence	394
DL-FLEX-HD-PC WT SIDE	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Side Power Connector Wire-Tape	LF	Illuminescence	394
DL-FLEX-HD SIDE RUN	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Side Run	LF	Illuminescence	394
DL-FLEX-HD SIDE START	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Side Start	LF	Illuminescence	394
DL-FLEX-HD-TOP RUN	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Top Run	LF	Illuminescence	394
DL-FLEX-HD-TOP START	8B	Flexible Linear Tape: High Output, 24V, 5W/Ft, Top Start	LF	Illuminescence	394
DL-FLEX-OD-RGB-PC-HW	8	13" Hard Wire Power Connector For RGB	LF	Illuminescence	394
DL-FLEX-OD END	8	LED Flexible Linear Tape - Outdoor end of run	LF	Illuminescence	394
DL-FLEX-OD-PT-F	8	LED Flexible Linear Wet Location Power Connector output	LF		
DL-FLEX-OD-PT-M	8	LED Flexible Linear Wet Location Power Connector input	LF		

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-FLEX-OD RUN	8	LED Flexible Linear Tape - Outdoor continuous run	LF	Illuminescence	394
DL-FLEX-OD RUN-3	8	LED Flexible Linear Tape - Outdoor continuous run - 3 inch	LF	Illuminescence	394
DL-FLEX-OD RUN-4	8	LED Flexible Linear Tape - Outdoor continuous run - 4 inch	LF	Illuminescence	394
DL-FLEX-OD RUN-6	8	LED Flexible Linear Tape - Outdoor continuous run - 6 inch	LF	Illuminescence	394
DL-FLEX-OD-START	8	LED Flexible Linear Tape - Outdoor beginning of run	LF	Illuminescence	394
DL-FLEX-OD-CHSET-6 END	8	6' Aluminum Mounting Channel w/ DL-FLEX-OD	LF		
DL-FLEX-RGB-PC	8	18" Input Power Connector for DL-FLEX-UP-RGB	LF	Illuminescence	394
DL-FLEX-UP	8	LED Flexible Linear Tape	LF	Illuminescence	394
DL-FLEX-UP-RGB	8	LED Flexible Linear Tape - Red-Blue-Green	LF	Illuminescence	394
DL-FLEX-UP-4 inch	8	LED Flexible Linear Tape - 4 inch	LF	Illuminescence	394
DL-FLEX-UP-8 inch	8	LED Flexible Linear Tape - 8 inch	LF	Illuminescence	394
DL-FLEX-UP SIDE	8	LED Flexible Linear Tape	LF	Illuminescence	394
DL-FLEX-UPULTRA	8	LED Flexible Linear Tape ultra	LF	DL-FLEX Series	2
DL-FLEX-UPULTRA SIDE	8	LED Flexible Linear Tape ultra	LF	DL-FLEX Series	2
DL-FLEX-UPULTRA-NIC SIDE	8	LED Flexible Linear Tape ultra - non-intergrated circuit - Side View	LF	DL-FLEX Series	2
DL-FLEX-UPULTRA-NIC TOP	8	LED Flexible Linear Tape ultra - non-intergrated circuit - Top View	LF	DL-FLEX Series	2
DL-FLEX-UPULTRA-NIC TOP 8	8	LED Flexible Linear Tape ultra - non-intergrated circuit - Top View 8" L	LF	DL-FLEX Series	2
DL-FLEX-UPULTRA-NIC TOP 4	8	LED Flexible Linear Tape ultra - non-intergrated circuit - Top View 4" L	LF	DL-FLEX Series	2
DL-FLEX-UPHO	8	LED Flexible Linear Tape High Output	LF	Illuminescence	394
DL-FLEX-UPHO SIDE	8	LED Flexible Linear Tape High Output	LF	Illuminescence	394
DL-FLEX-PC	8	19" Input Power Connector - 13-1/4" cable to 5-7/8" FLEX UP tape	LF	Specialty Lighting S.	11
DL-FLEX-PC2	8	14" Input Power Connector - Male DC plug connects to female DC plug	LF	Specialty Lighting S.	11
DL-FLEX-PC2-HW	8	12" Input Power Connector - Connects hardwire equipment to DL- FLEXUP	LF	Specialty Lighting S.	11
DL-FLEX-WET	8	LED Flexible Linear Wet Location	LF		
DL-FLEX-WET 1-3	8	LED Flexible Linear Wet Location - 1/3 run	LF		
DL-FLEX-WET 2-3	8	LED Flexible Linear Wet Location - 2/3 run	LF		
DL-FLEX-WETCC-RGB SIDE START	8B	LED Wet Location - start SIDE VIEW	LF		
DL-FLEX-WETCC-RGB SIDE RUN	8B	LED Wet Location - Run SIDE VIEW	LF		
DL-FLEX-WETCC-RGB TOP START	8B	LED Wet Location - start	LF		
DL-FLEX-WETCC-RGB TOP RUN	8B	LED Wet Location - Run	LF		
DL-FLEX-WETCC-RGB TOP 3-15-16	8B	LED Wet Location - Run Minimum	LF		
DL-FLEX-X-CONN	8A	Universal "L", "X" & "T" Connector	LF	Specialty Lighting S.	11
DL-LC-KP8-W8	7	DMX 8 Button Wall Plate			
DL-PS-2Y	8	13" Two-way power splitter	LR	Specialty Lighting S.	48
DL-PS-60-24-CL2 SIDE	7	Plug & Play 24V Power Supply, 60W, CL2/CL II Side View	LDA	Specialty Lighting S.	48
DL-PS-60-24-CL2 TOP	7	Plug & Play 24V Power Supply, 60W, CL2/CL II Top View	LDA	Specialty Lighting S.	48
DL-PS-90-24-CL2 SIDE	7	Plug & Play 24V Power Supply, 90W, CL2/CL II Side View	LDA	Specialty Lighting S.	48
DL-PS-90-24-CL2 TOP	7	Plug & Play 24V Power Supply, 90W, CL2/CL II Top View	LDA	Specialty Lighting S.	48
DL-PS-100-24 SIDE	7	Plug & Play 24V Power Supply Desktop Driver, 90W	LDA	Specialty Lighting S.	48
DL-PS-100-24 TOP	7	Plug & Play 24V Power Supply Desktop Driver, 90W	LDA	Specialty Lighting S.	48

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-PS-100-24-JB	7	Hard Wire 24V Power Supply Driver in JB 96W	LDA	Specialty Lighting S.	48
DL-PS-120/24-JB	7	Hard Wire 24V Power Supply Driver in JB 2-60W	LDA	Specialty Lighting S.	48
DL-PS-120/24-JB SIDE	7	Hard Wire 24V Power Supply Driver in JB 2-60W	LDA	Specialty Lighting S.	48
DL-PS-120/24-JB END	7	Hard Wire 24V Power Supply Driver in JB 2-60W	LDA	Specialty Lighting S.	48
DL-PS-120/12-JB TOP	7	Hard Wire 12V Power Supply Driver in JB 2-60W	LDA	Specialty Lighting S.	48
DL-PS-120/12-JB SIDE	7	Hard Wire 12V Power Supply Driver in JB 2-60W	LDA	Specialty Lighting S.	48
DL-PS-120/12-JB END	7	Hard Wire 12V Power Supply Driver in JB 2-60W	LDA	Specialty Lighting S.	48
DL-PS-150/12-JB TOP	7	Hard Wire 12V Power Supply Driver in JB	LDA	Specialty Lighting S.	48
DL-PS-xx/24-JB-DIM	7	Hard Wire 24V LED Power Supply Driver in JB xxW, Dimmable Tri-Ac	LDA	Specialty Lighting S.	48
DL-PS-20/24-JBA	7	Hard Wire 24V LED Power Supply Driver in JB 20W	LDA	Specialty Lighting S.	48
DL-PS-60/24-JBA	7	Hard Wire 24V LED Power Supply Driver in JB 60W	LDA	Specialty Lighting S.	48
DL-PS-96/24-JBA TOP	7	Hard Wire 24V LED Power Supply Driver in JB 96W	LDA	Specialty Lighting S.	48
DL-PS-35/24-JB TOP	7	Hard Wire 24V LED Power Supply Driver in JB 35W	LDA	Specialty Lighting S.	48
DL-PS-35/24-JB SIDE	7	Hard Wire 24V LED Power Supply Driver in JB 35W	LDA	Specialty Lighting S.	48
DL-PS-35/24-JB END	7	Hard Wire 24V LED Power Supply Driver in JB 35W	LDA	Specialty Lighting S.	48
DL-PS-40-12-HW-DIM	15	Hard Wire 12V constange voltage, top view 40W max			
DL-PS-40-12-HW-DIMSEC	7	Hard Wire 12V constange voltage, side view 40W max			
DL-PS-20-24-JBA	7	Plug & Play 24V LED Power Supply Driver 20W	LDA	Specialty Lighting S.	48
DL-PS-24-24	7	Plug & Play 24V LED Power Supply Driver 24W	LDA	Specialty Lighting S.	48
DL-PS-48-24	7	Plug & Play 24V LED Power Supply Driver 48W	LDA	Specialty Lighting S.	48
DL-PS-60-24	7	Plug & Play 24V LED Power Supply Driver 60W	LDA	Specialty Lighting S.	48
DL-PS-60-24-JBA	7	Hard Wire 24V LED Power Supply Driver in JBA 60W	LDA	Specialty Lighting S.	48
DL-PS-60-24-JB TOP	7	Hard Wire 24V LED Power Supply Driver in JB 60W	LDA	Specialty Lighting S.	48
DL-PS-60-24-JB SIDE	7	Hard Wire 24V LED Power Supply Driver in JB 60W	LDA	Specialty Lighting S.	48
DL-PS-60-24-JB END	7	Hard Wire 24V LED Power Supply Driver in JB 60W	LDA	Specialty Lighting S.	48
DL-PS-60-24-JB-OD-DIM TOP	7	Hard Wire 24V LED Power Supply Driver in JB 60W (60W Max) Outdoor DIM	LDA	Specialty Lighting S.	48
DL-PS-80-24-JB-OD TOP	7	Hard Wire 24V LED Power Supply Driver in JB 80W (80W Max) Outdoor	LDA	Specialty Lighting S.	48
DL-PS-80-24-JB-OD SIDE	7	Hard Wire 24V LED Power Supply Driver in JB 80W (80W Max) Outdoor	LDA	Specialty Lighting S.	48
DL-PS-96-24-JBA-TOP	7	Hard Wire 24V LED Power Supply Driver in JBA 100W (96W Max)	LDA	Specialty Lighting S.	48
DL-PS-96-24-JB-OD TOP	7	Hard Wire 24V LED Power Supply Driver in JB 100W (96W Max) Outdoor	LDA	Specialty Lighting S.	48
DL-PS-100-24-JB TOP	7	Hard Wire 24V LED Power Supply Driver in JB 100W (96W Max)	LDA	Specialty Lighting S.	48
DL-PS-100-24-JB SIDE	7	Hard Wire 24V LED Power Supply Driver in JB 100W (96W Max)	LDA	Specialty Lighting S.	48
DL-PS-100-24-JB END	7	Hard Wire 24V LED Power Supply Driver in JB 100W (96W Max)	LDA	Specialty Lighting S.	48
DL-PS-40-24-JB-M	7	Hard Wire 24V dimmable magnetic power supply 40W	LDA	Specialty Lighting S.	48
DL-PS-40-24-JB-M END VIEW	7	Hard wire 24V dimmable magnetic power supply 40W Side view	LDA	Specialty Lighting S.	48
DL-PS-40-24-JB-M SIDE VIEW	7	Hard wire 24V dimmable magnetic power supply 40W Side View	LDA	Specialty Lighting S.	48
DL-PS-40-24-JB-M TOP VIEW	7	Hard wire 24V dimmable magnetic power supply 40W Top View	LDA	Specialty Lighting S.	48
DL-PS-60(100)-24-JB-M END VIEW	7	Hard wire 24V dimmable magnetic power supply 60 (100)W End View	LDA	Specialty Lighting S.	48
DL-PS-60(100)-24-JB-M SIDE VIEW	7	Hard wire 24V dimmable magnetic power supply 60 (100)W Side View	LDA	Specialty Lighting S.	48
DL-PS-60-24-JB-M TOP VIEW	7	Hard wire 24V dimmable magnetic power supply 60W Top View	LDA	Specialty Lighting S.	48

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-PS-100-24-JB-M TOP VIEW	7	Hard wire 24V dimmable magnetic power supply 96W Top View	LDA	Specialty Lighting S.	48
DL-PS-100-24-CL2-TOP	7	Plug and Play LED Power Supply, 24V, 96W max	LDA	Specialty Lighting S.	48
DL-PS-100-24-CL2-SEC	7	Plug and Play LED Power Supply, 24V, 96W max	LDA	Specialty Lighting S.	48
DL-PS-222-412 FRONT	7	2 conductor lever wire nut - Front View	LDA		
DL-PS-222-412 SIDE	7	2 conductor lever wire nut - Side View	LDA		
DL-PS-222-412 TOP	7	2 conductor lever wire nut - Top View	LDA		
DL-PS-240-24-JBA TOP VIEW	7	Hard wire 24V dimmable magnetic power supply 240W, 10 AMPS Top View	LDA	Specialty Lighting S.	
DL-PS-40/24-HW-DIM SEC	7	Hard Wire 24V Dimmable LED Voltage Driver section		Specialty Lighting S.	
DL-PS-40/24-HW-DIM PLN	7	Hard Wire 24V Dimmable LED Voltage Driver plan Max 40W; Min 8W		Specialty Lighting S.	
DL-PS-EXT48	8	48" LED Driver Extension Cable		Specialty Lighting S.	45
DL-PS-EXT48+SWITCH	8B	ON/OFF Switch w 24" Leads		Specialty Lighting S.	45
DL-PS-EXT48 90	8	48" LED Driver Extension Cable Right Angle		Specialty Lighting S.	45
DL-PS-EXT96	8	96" LED Driver Extension Cable		Specialty Lighting S.	45
DL-PS-EXT96 CUT	8	96" LED Driver Extension Cable, Cut to 6" & dimensioned		Specialty Lighting S.	45
DL-PS-OD-2Y	8	13" Two-way power splitter	LR	DL-RS LED Rigid Strip	3
DL-PS-OD-3Y	8	13" Three-way power splitter	LR	DL-RS LED Rigid Strip	3
DL-PS-OD-EC	8	End Cap for Outdoor DC Output Power Connector	LR	DL-RS LED Rigid Strip	3
DL-PS-OD-EXT18	9	Outdoor DC Power Extension Cable 18"	LR	DL-RS LED Rigid Strip	3
DL-PS-OD-EXT48	9	Outdoor DC Power Extension Cable 48"	LR	DL-RS LED Rigid Strip	3
DL-PS-OD-PT-F	9	Outdoor DC Output Power Connector Bare Wire to Female Connector	LR	DL-RS LED Rigid Strip	3
DL-PS-OD-PT-F CURVED	9	Outdoor DC Output Power Connector Bare Wire to Female Conctr S Curve	LR	DL-RS LED Rigid Strip	3
DL-PS-OD-PT-M	9	Outdoor DC Output Power Connector Bare Wire to Male Connector	LR	DL-RS LED Rigid Strip	3
DL-PS-PT-F	9	DC Input Power Connector Bare Wire to fEMale Connector	LF	Specialty Lighting S.	47
DL-PS-PT-F 90	9	DC Input Power Connector Bare Wire to fEMale Connector	LF	Specialty Lighting S.	47
DL-PS-PT-M	9	DC Input Power Connector Bare Wire to Male Connector	LF	Specialty Lighting S.	47
DL-PS-PT-M w CVX INPUT	15	DC Input Power Connector CVX Connector to Male Connector	DL		
DL-PS-WP24/24 SIDE	7	Wall Plug Poer Supply, 24W max	LDA	Specialty Lighting S.	47
DL-R3x	8	Linear Integrated LED Module			
DL-R3x 3 MOD	8	Linear Integrated LED Module - 3 Modules			
DL-RE	8	LED Flexible Linear Static Module			
DL-RE 3 MOD	8	LED Flexible Linear Static Module - 3 modules			
DL-RM3	8	LED Module, 3W/module, 12V, max 16 modules			
DL-RS-MC-0 DEGREES SEC	9	0° Mounting Clip for Aluminum Channel Section	RS	Specialty Lighting S.	7
DL-RS-MC-0 DEGREES TOP	9	0° Mounting Clip for Aluminum Channel Top	RS	Specialty Lighting S.	7
DL-RS PWR IN F	9	Rigid Strip Male Connector	LR		
DL-RS PWR OUT M	9	Rigid Strip Female Connector	LR		
DL-RS SIDE 12	9	Rigid Strip - 12 inch	LR	DL-RS LED Rigid Strip	1
DL-RS SIDE 24	9	Rigid Strip - 24 inch	LR	DL-RS LED Rigid Strip	1
DL-RS SIDE 36	9	Rigid Strip - 36 inch	LR	DL-RS LED Rigid Strip	2
DL-RS SIDE 48	9	Rigid Strip - 48 inch	LR	DL-RS LED Rigid Strip	2

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
DL-RS SIDE OPAL CVR 12	9	Rigid Strip - 12 inch w/ Opal Cover	LR	DL-RS LED Rigid Strip	1
DL-RS SIDE OPAL CVR 24	9	Rigid Strip - 24 inch w/ Opal Cover	LR	DL-RS LED Rigid Strip	1
DL-RS SIDE OPAL CVR 36	9	Rigid Strip - 36 inch w/ Opal Cover	LR	DL-RS LED Rigid Strip	2
DL-RS SIDE OPAL CVR 48	9	Rigid Strip - 48 inch w/ Opal Cover	LR	DL-RS LED Rigid Strip	2
DL-RS TOP 12	9	Rigid Strip - 12 inch top view	LR	DL-RS LED Rigid Strip	2
DL-RS TOP 24	9	Rigid Strip - 24 inch top view	LR	DL-RS LED Rigid Strip	2
DL-RS TOP 36	9	Rigid Strip - 36 inch top view	LR	DL-RS LED Rigid Strip	2
DL-RS TOP 48	9	Rigid Strip - 48 inch top view	LR	DL-RS LED Rigid Strip	2
DL-RS-END	9	Rigid Strip End View	LR	DL-RS LED Rigid Strip	2
DL-RS-END OPAL CVR	9	Rigid Strip End View W/ Opal Cover	LR	DL-RS LED Rigid Strip	2
DL-S4-x	8	Square Light Tile Integrated LED Module		Illustrated Guide	159
DS-DV-TV-WH	7	Wall Plate Dimmer Switch 0-10V			
ELP-24-72W	14	High Performance Dimmable LED Panel	DL		
ELP-24-72W-XX-EM	14	High Performance Dimmable LED Panel w/ Emergency Battery	DL		
ELP-24-72W SEC LONG	14	High Performance Dimmable LED Panel Section 4' length	DL		
ELP-24-72W SEC SHORT	14	High Performance Dimmable LED Panel Section 2' length	DL		
FC	12	Track Floating Canopy	TS	Illuminescence	67
FIGURE LADY	13	Jesco Lady	O		
FIGURE LADY 2	13	Jesco Lady Dress	O		
G CNNCTR	17	Type G Connector w/ wire leads	DL		
G CNNCTR M	17	Type G Connector Male w/ wire leads	DL		
HANGING BAR END	14	Recessed Down Light Hanging Bar End View			
HANGING BAR LEFT	14	Recessed Down Light Hanging Bar Left side (male)			
HANGING BAR RIGHT	14	Recessed Down Light Hanging Bar Right side (female)			
H1LE-TOP	19	Track End Feed - Top View	TS	Illuminescence	14
H1LE-TOP OPEN	19	Track End Feed - Top View Open to wiring compartment	TS	Illuminescence	14
L 513	19	Contempo Series LED Trackhead 8W	TS	Illuminescence	14
L 514	19	Contempo Series LED Trackhead 22W	TS	LED TRACKHEADS	
L 515	19	Contempo Series LED Trackhead 20W	TS	LED TRACKHEADS	
L 524	19	Contempo Series LED Double Trackhead 44W	TS	LED TRACKHEADS	
L516S SIDE	19	Track Head - Elevation SIDE VIEW	TS	LED TRACKHEADS	
L516S SIDE-SNOOT	19	Track Head - Elevation SIDE VIEW w/ Snoot	TS	LED TRACKHEADS	
L516S SNT	19	Track Head - Elevation SNOOT	TS	LED TRACKHEADS	
L516S TOP	19	Track Head - Elevation TOP VIEW	TS	LED TRACKHEADS	
L517 ELEV	19	Track Head - Elevation	TS	LED TRACKHEADS	
L517 SEC	19	Track Head - Section	TS	LED TRACKHEADS	
L517 SEC+L517 VIS	19	Track Head - Section with visor	TS	LED TRACKHEADS	
L517 TOP	19	Track Head - Top View	TS	LED TRACKHEADS	
L517 VIS	19	Track Head - Visor	TS	LED TRACKHEADS	
L519L FRONT	19	Track Head - Wall Wash Unit - Front View	TS	LED TRACKHEADS	

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
L519L LV	19	Track Head - Wall Wash Unit - Louver	TS	LED TRACKHEADS	
L519L w LOUVER	19	Track Head - Wall Wash Unit - Otho View w/ Louver	TS	LED TRACKHEADS	
L519L w LOUVER FRONT	19	Track Head - Wall Wash Unit - Front View w/ Louver	TS	LED TRACKHEADS	
L519L-S END	19	Track Head - Wall Wash Unit - End View both L & S	TS	LED TRACKHEADS	
L519S FRONT	19	Track Head - Wall Wash Unit - Front View	TS	LED TRACKHEADS	
L519S LV	19	Track Head - Wall Wash Unit - Louver	TS	LED TRACKHEADS	
L519S w LOUVER	19	Track Head - Wall Wash Unit - Otho View w/ Louver	TS	LED TRACKHEADS	
L611 ORTHO VIEW	19	Track Head - LED 611- 10W, 860 lm, 90CRI, 3 Mcdm, Ortho View	TS	LED TRACKHEADS	
L611 SEC	19	Track Head - LED 611- 10W, 860 lm, 90CRI, 3 Mcdm, Section View	TS	LED TRACKHEADS	
L621 FRONT	19	Track Head - LED Flood - 12.5W, 1112 lm, 80CRI, 3 Mcdm	TS	LED TRACKHEADS	
L621 SEC LONG	19	Track Head - LED Flood - 12.5W, 1112 lm, 80CRI, 3 Mcdm	TS	LED TRACKHEADS	
L621 SEC SHORT	19	Track Head - LED Flood - 12.5W, 1112 lm, 80CRI, 3 Mcdm	TS	LED TRACKHEADS	
L621 SEC SHORT 45d	19	Track Head - LED Flood - 12.5W, 1112 lm, 80CRI, 3 Mcdm, 45°	TS	LED TRACKHEADS	
L621H SEC LONG	19	Track Head - LED Flood - 16.5W, 1372 lm, 80CRI, 3 Mcdm	TS	LED TRACKHEADS	
L621H SEC SHORT	19	Track Head - LED Flood - 16.5W, 1372 lm, 80CRI, 3 Mcdm	TS	LED TRACKHEADS	
LC-200-INT TOP VIEW	7	DMX Interface			
LCC-HW-WW2-1	10A	1'-6" Connecting Cable bare end to IP68 female connector	LOW		
LCC-XLR3-EXT-3-HW	10A	3' DMX 3-PIN XLR Extension Cable, Hard Wire to XLR-3 pin connector male	LOW		
LC-DIM5A	7	12V/24V Plug and Play Dimmer			
LC-DIM5A-DIAL	7	DIAL GRAPHIC FOR POTENTIONMETER			
LC-DIM5A-HW	7	12V/24V Hard wire dimming interface	LDA	Specialty Lighting S.	51
LC-DMX-SPT-4 TOP	7	4 Port DMX Splitter 120 V - Top			
LC-DMX-SPT-4 BOTTOM	7	4 Port DMX Splitter 120 V - Bottom			
LC-DMX-SPT-4 SIDE 1	7	4 Port DMX Splitter 120 V - Side 1 input			
LC-DMX-SPT-4 SIDE 2	7	4 Port DMX Splitter 120 V - Side 2 output			
LC-DMX-SPT-4 SIDE 3	7	4 Port DMX Splitter 120 V - Side 3			
LC-DMX-SPT-4 SIDE 4	7	4 Port DMX Splitter 120 V - Side 4 Power Cord, Fuse			
LC-PC-100 PS	7	Conctroller w/ Power Supply			
LC-PC-500	7	Advanced DMX Controller w touch screen wall plate			
LC-RF-300 CONTROLLER	7	RGB Controller	LDA	Specialty Lighting S.	39
LC-RF-300 REMOTE	8	RGB Wireless Remote	LDA	Specialty Lighting S.	39
LC-RF-300 TOP	7	RGB Controller	LDA	Specialty Lighting S.	39
LC-IR-300	7	RGB Remote Controller	LDA	Specialty Lighting S.	39
LC-IR-300 HND HLD	8	RGB Remote Controller Hand Held	LDA	Specialty Lighting S.	39
LC-IR-300 RCVR	8	LC-IR-300 RGB Receiver	LDA	Specialty Lighting S.	39
LC-200-RPT	7	RGB Repeater	LDA	Specialty Lighting S.	39
LC-300-INT	7	RGB-RGBW LED Controller - DMX 3 or 4 channel	LDA		
LC-RF-400-RCV	7	Radio Frequency Receiver	LDA	Specialty Lighting S.	39
LC-RF-400H-RGB	7	Radio Frequency Hand Held Controller	LDA	Specialty Lighting S.	39
LC-RF-410-W-RGB	7	Radio Frequency Wall Mounted Controller RGB	LDA	Specialty Lighting S.	39

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
LC-RF-RGBWW	7	Radio Frequency Receiver Controller for DL-FLEX2-RGBWW	LDA	Specialty Lighting S.	39
LC-RF-400-W-CTA	8	Radio Frequency Wall Mounted Controller CTA	LDA	Specialty Lighting S.	39
LDEC-6-XX END	8	LDEC Flexible Linear Lamps End View	LDA	Specialty Lighting S.	38
LDEC-6-XX TOP	8	LDEC Flexible Linear Lamps Top View	LDA	Specialty Lighting S.	38
LDEC-6-XX SIDE	8	LDEC Flexible Linear Lamps Side View	LDA	Specialty Lighting S.	38
LDEC-12-2.5 END	8	LDEC Festoon Series End View	LDA	Specialty Lighting S.	39
LDEC-12-2.5 SIDE	8	LDEC Festoon Series Side View - 2.5" centers, 12" long	LDA	Specialty Lighting S.	39
LDEC-12-2.5 TOP	8	LDEC Festoon Series Top View - 2.5" centers, 12" long	LDA	Specialty Lighting S.	39
LDEC-12-4 SIDE	8	LDEC Festoon Series Side View - 4" centers, 12" long	LDA	Specialty Lighting S.	39
LDEC-12-4 TOP	8	LDEC Festoon Series Top View - 4" centers, 12" long	LDA	Specialty Lighting S.	39
LDEC-BM	8	LDEC-BM Metal Junction Box	LDA	Specialty Lighting S.	39
LDEC-EC END	8	LDEC End Cap End View	LDA	Specialty Lighting S.	39
LDEC-EC SIDE	8	LDEC End Cap Side View	LDA	Specialty Lighting S.	39
LDEC-EC TOP	8	LDEC End Cap Top View	LDA	Specialty Lighting S.	39
LDEC-TB TOP	8	Low Voltage Terminal Block Top View		Illustrated Guide	173
LDEC-TB END	8	Low Voltage Terminal Block End View		Illustrated Guide	173
LDEC-TB SIDE	8	Low Voltage Terminal Block Side View		Illustrated Guide	173
LHBE 100W-150W ELEV	21	LED High Bay 100W & 150W Elevation			144
LHBE 200W ELEV	21	LED High Bay 200W Elevation			144
LHBE PLN HOOK	21	LED High Bay Plan/Top View, Hook Installation			144
LHBE PLN BRCKT	21	LED High Bay Plan/Top View, Bracket Installation			144
LHBR-70D-16IN-PC	21	LED High Bay 70° Beam Angle, 16"d clear polycarbonate reflector			144
LHBC-16IN-PC	21	LED High Bay 16"d clear polycarbonate cover			144
LHBE-200W-70d RFLCTR-CVR ELEV	21	LED High Bay 200W W/ 70° Reflector & Clear Cover Elevation			144
MA-FA	12	Monorail Fixture Adapter	MS	Illuminescence	144
MA STO3	11	3" Rigid T-Bar Ceiling Standoff	MS	Illuminescence	144
MEANWELL LCM-40U	7	LED Power Supply Meanwell			
MEANWELL LCM-40U Open	7	LED Power Supply Meanwell			
MEANWELL LCM-40U Side	7	LED Power Supply Meanwell			
ML111FRONT	11	LED Modulinear 1 lamp Front View	MD	LED Rec Dwn Lt	22
ML121FRONT	11	LED Modulinear 2 lamp Front View	MD	LED Rec Dwn Lt	22
ML241 FRONT	11	LED Modulinear 4 lamp Front View	MD	LED Rec Dwn Lt	22
ML411LU FRONT	11	LED Modulinear 1 lamp Front View	MD	LED Rec Dwn Lt	22
ML411LU SIDE	11	LED Modulinear 1 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
ML411LU SIDE 2	11	LED Modulinear 1 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
ML421LU FRONT	11	LED Modulinear 2 lamp Front View	MD	LED Rec Dwn Lt	22
ML421LU SIDE	11	LED Modulinear 2 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
ML421LU SIDE 2	11	LED Modulinear 2 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
ML431LU FRONT	11	LED Modulinear 3 lamp Front View	MD	LED Rec Dwn Lt	22

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
ML4x1LU SECTION	11	LED Modulinear Section View	MD	LED Rec Dwn Lt	22
ML431LU SIDE	11	LED Modulinear 3 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
ML431LU SIDE 2	11	LED Modulinear 3 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
ML441LU SIDE	11	LED Modulinear 4 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
ML441LU SIDE 2	11	LED Modulinear 4 lamp Fuse Side View	MD	LED Rec Dwn Lt	22
MLX-xx END	11	Multi-Linx LED Fixture	MD	LED Multi-Linx	22
MLX-24 SIDE	11	Multi-Linx LED Fixture - 24" (23-13/16") side view	MD	LED Multi-Linx	22
MLX-24 TOP	11	Multi-Linx LED Fixture - 24" (23-13/16") top view	MD	LED Multi-Linx	22
MLX-48 SIDE	11	Multi-Linx LED Fixture - 48" (47-5/8") side view	MD	LED Multi-Linx	22
MLX-48 TOP	11	Multi-Linx LED Fixture - 48" (47-5/8") top view	MD	LED Multi-Linx	22
MLX-96 SIDE	11	Multi-Linx LED Fixture - 96" (94-1/2") side view	MD	LED Multi-Linx	22
MLX-96 TOP	11	Multi-Linx LED Fixture - 96" (94-1/2") top view	MD	LED Multi-Linx	22
MLC-CC-6	11	Multi-Linx LED Fixture - Connecting Cable 6"	MD	LED Multi-Linx	22
MLC-CC-12	11	Multi-Linx LED Fixture - Connecting Cable 12"	MD	LED Multi-Linx	22
MLC-CC-18	11	Multi-Linx LED Fixture - Connecting Cable 18"	MD	LED Multi-Linx	22
MLX-DC	11	Multi-Linx LED Fixture - Direct Connector	MD	LED Multi-Linx	22
MLX-MC	11	Multi-Linx LED Fixture - Surface Mount Metal Clip	MD	LED Multi-Linx	22
MLX-FEC	11	Multi-Linx LED Fixture -Female Endcap	MD	LED Multi-Linx	22
MLX-MEC	11	Multi-Linx LED Fixture - Male Endcap	MD	LED Multi-Linx	22
MLX-MC SIDE	11	Multi-Linx LED Fixture - Surface Mount Metal Clip Side View	MD	LED Multi-Linx	22
MLX-LC	11	Multi-Linx LED Fixture - L Connector right angle connection	MD	LED Multi-Linx	22
MLX-VC	11	Multi-Linx LED Fixture - V Connector 120°	MD	LED Multi-Linx	22
MLX-TC	11	Multi-Linx LED Fixture - T Connector	MD	LED Multi-Linx	22
MLX-XC	11	Multi-Linx LED Fixture - X Connector	MD	LED Multi-Linx	22
MLX-YC	11	Multi-Linx LED Fixture - Y Connector - 30°	MD	LED Multi-Linx	22
MMT-S301	19	MAGNATRAX MINI Track Head: 1W, 60lm Fixed	TS		
MMT-HS320	19	MAGNATRAX MINI Track Head: HS320 24V, 6W	TS		
MMT-HS320 SIDE	19	MAGNATRAX MINI Track Head: HS320 24V, 6W, Side View	TS		
MMT-HS321	19	MAGNATRAX MINI Track Head: HS320 24V, 10W	TS		
MMT-HS321 SIDE	19	MAGNATRAX MINI Track Head: HS320 24V, 10W, Side View	TS		
MMT-S302	19	MAGNATRAX MINI Track Head: 1W, 60lm Adjustable	TS		
MMT-S303	19	MAGNATRAX MINI Track Head: 2W, 120lm Fixed	TS		
MMT-S304	19	MAGNATRAX MINI Track Head: 2W, 120lm Adjustable	TS		
MMT-S305	19	MAGNATRAX MINI Track Head: 1W, 600lm Adjustable	TS		
MMT-S306	19	MAGNATRAX MINI Track Head: 2W, 120lm Adjustable	TS		
MMT-S307	19	MAGNATRAX MINI Track Head: 3W, 180lm Adjustable	TS		
MMT-S308	19	MAGNATRAX MINI Track Head: 4W, 280lm Adjustable	TS		
MMT-S30X TOP	19	MAGNATRAX MINI Track Head: Top View	TS		
MMT-S308 TOP	19	MAGNATRAX MINI Track Head: S308 Top View	TS		
MMT-TRK	19	MAGNATRAX MINI Track Typical track length	TS		

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
MMT-TRK SEC	19	MAGNATRAX MINI Track Typical Track Section	TS		
MST-12012-300E	12	Monorail Surface Mounted Transformer, 12V, 300W, Electronic, Side view	MS	Illuminescence	146
MST-12012-300E TOP	12	Monorail Surface Mounted Transformer, 12V, 300W, Electronic, Top view	MS	Illuminescence	146
PK-711 SEC	5	LED Adjustable 3 light light; elevation	SP	Speciality Lighting	23
PK-711 PLN	5	LED Adjustable 3 light light; plan	SP	Speciality Lighting	23
PK-757 SEC	15	LED Adjustable 3 light light; elevation	SP	Speciality Lighting	23
PK-757 PLN	15	LED Adjustable 3 light light; plan	SP	Speciality Lighting	23
PK811CV	5	LED Adjustable Recessed Downlight 8W, 24V; plan	SP	Speciality Lighting	23
PK811LCV SEC	5	LED Adjustable Recessed Downlight 8W, 24V; sec	SP	Speciality Lighting	23
PKH600A-Pln	5	Surface Mount Aluminum Housing for PK 711 plan	SP	Speciality Lighting	23
PKH600A-Elev	5	Surface Mount Aluminum Housing for PK 711 elevation	SP	Speciality Lighting	23
POWER INPUT CONNECTOR	17	Power Input Connector - female	SP		
PS-CC-R-DC/PBF-3	15	Hard Wire Power Supply Corvi Series Max Watt: 500 Ma, 12W Top View	LDA	Specialty Lighting S.	49
PS-CC-R-PB/HW-36	15	Power Supply Output cable, HW to PB 36"	LDA	Specialty Lighting S.	49
PS-CC-R-PBF-PBF-36	15	36" Connecting Cable with 2 PB Terminals	LDA	Specialty Lighting S.	49
PS-CC-350-12-HW LED PWR SPLY TOP	15	Hard Wire Power Supply 350mA, 3-36V DC	LDA	Specialty Lighting S.	49
PS-CC-500-12-HW LED PWR SPLY TOP	15	Hard Wire Power Supply 500mA,	LDA	Specialty Lighting S.	49
PS-CC-700-12-HW LED PWR SPLY SIDE	15	Hard Wire Power Supply Corvi Series Max Watt: 12W Side View	LDA	Specialty Lighting S.	49
PS-CC-700-12-HW LED PWR SPLY END	15	Hard Wire Power Supply Corvi Series Max Watt: 12W End View	LDA	Specialty Lighting S.	49
PS-CC-700-12-HW LED PWR SPLY TOP	15	Hard Wire Power Supply Corvi Series Max Watt: 12W Top View	LDA	Specialty Lighting S.	49
PS-CC-700-20-HW LED PWR SPLY END	15	Hard Wire Power Supply Corvi Series Max Watt: 20W End View	LDA	Specialty Lighting S.	49
PS-CC-700-20-HW LED PWR SPLY TOP	15	Hard Wire Power Supply Corvi Series Max Watt: 20W End View	LDA	Specialty Lighting S.	49
PS-CC-700-30-HW LED PWR SPLY END	15	Hard Wire Power Supply Corvi Series Max Watt: 30W End View	LDA	Specialty Lighting S.	49
PS-CC-700-30-HW LED PWR SPLY TOP	15	Hard Wire Power Supply Corvi Series Max Watt: 30W End View	LDA	Specialty Lighting S.	49
PS-CV-DC-PDF--3	15	12VDC3" Constant Voltage adapter cable barrel to female PD connector			
PS-CV-HW-PDF--3	15	12VDC3" adapter cable HW to female PD connector			
RE-GEO=FM-900XX-END	6	Envisage Vanity Light - End View	E	Envisage V	
RE-GEO=FM-90024-FRONT	6	Envisage Vanity Light - 24" Front View	E	Envisage V	
RE-GEO=FM-90024-TOP	6	Envisage Vanity Light - 24" Top View	E	Envisage V	
RE-GEO=FM-90036-FRONT	6	Envisage Vanity Light - 36" Front View	E	Envisage V	
RE-GEO=FM-90036-TOP	6	Envisage Vanity Light - 36" Top View	E	Envisage V	
RE-GEO=FM-90048-FRONT	6	Envisage Vanity Light - 48" Front View	E	Envisage V	
RE-GEO=FM-90048-TOP	6	Envisage Vanity Light - 48" Top View	E	Envisage V	
RF SYMBOL	7	Radio Frequency Symbol			
RLH-405-20 NIC TOP	14	Architectural LED Recessed Downlight 4" Aperture Top View	RD	LED Rec Dwn Lt	18
RLH-405-20 NIC SIDE	14	Architectural LED Recessed Downlight 4" Aperture Side View	RD	LED Rec Dwn Lt	18
RLH-4003 SIDE	14	Architectural LED Recessed Downlight 4" Aperture Side View	RD	LED Rec Dwn Lt	18
RLH-4003 TOP	14	Architectural LED Recessed Downlight 4" Aperture Top View	RD	LED Rec Dwn Lt	18
RLH-65XXN SEC	14	Architectural LED Recessed Downlight 6" Aperture Section View	RD	LED Rec Dwn Lt	18
RLH-8140N	14	Architectural LED Recessed Downlight 8" Aperture Top View	RD	LED Rec Dwn Lt	18

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
RLH-8140N SEC	14	Architectural LED Recessed Downlight 8" Aperture Section View	RD	LED Rec Dwn Lt	18
RLH-P351-15 NIC TOP	14	Architectural LED Recessed Downlight 3-1/2" Aperture Top View	RD	LED Rec Dwn Lt	18
RLH-P351-15 NIC SIDE	14	Architectural LED Recessed Downlight 3-1/2" Aperture Side View	RD	LED Rec Dwn Lt	18
RLR-5612-xx-JB SEC	14	LED Architectural Downlight w/ integral junction box			
RLR-5612-xx-JB SEC CEIL	14	LED Architectural Downlight w/ integral junction box			
RLR-5612-xx-JB TOP	14	LED Architectural Downlight w/ integral junction box			
SD1 20-CC-R SEC	14	LED Shhowncase Lighting Radianze Micro Mini Downlight		Showcase Lighting	
SD1 20-CC-R SEC 45	14	LED Shhowncase Lighting Radianze Micro Mini Downlight -45° Aim angle		Showcase Lighting	
S201-End	16	LED Sleek Plus S201 Linkable End View	SP	Speciality Lighting	9
S201-12 SIDE	16	LED Sleek Plus S201 Linkable 12 inch Side View	SP	Speciality Lighting	9
S201-12 TOP	16	LED Sleek Plus S201 Linkable 12 inch Top View	SP	Speciality Lighting	9
S201-24 SIDE	16	LED Sleek Plus S201 Linkable 24 inch Side View	SP	Speciality Lighting	9
S201-24 TOP	16	LED Sleek Plus S201 Linkable 24 inch Top View	SP	Speciality Lighting	9
S201-36 SIDE	16	LED Sleek Plus S201 Linkable 36 inch Side View	SP	Speciality Lighting	9
S201-36 TOP	16	LED Sleek Plus S201 Linkable 36 inch Top View	SP	Speciality Lighting	9
S201-48 SIDE	16	LED Sleek Plus S201 Linkable 48 inch Side View	SP	Speciality Lighting	9
S201-48 TOP	16	LED Sleek Plus S201 Linkable 48 inch Top View	SP	Speciality Lighting	9
S401-End	16	LED Sleek Plus S401 Linkable End View	SP	Speciality Lighting	9
S401-12-Side	16	LED Sleek Plus S401 Linkable 12"	SP	Speciality Lighting	9
S401-12-Top	16	LED Sleek Plus S401 Linkable 12"	SP	Speciality Lighting	9
S401-24-Side	16	LED Sleek Plus S401 Linkable 24"	SP	Speciality Lighting	9
S401-24-Top	16	LED Sleek Plus S401 Linkable 24"	SP	Speciality Lighting	9
S401-36-Side	16	LED Sleek Plus S401 Linkable 36"	SP	Speciality Lighting	9
S401-36-Top	16	LED Sleek Plus S401 Linkable 36"	SP	Speciality Lighting	9
S401-48-Side	16	LED Sleek Plus S401 Linkable 48"	SP	Speciality Lighting	9
S401-48-Top	16	LED Sleek Plus S401 Linkable 48"	SP	Speciality Lighting	9
S601-08	16	Linkable Slim Stix - 8 inch	SP	Speciality Lighting	4
S601-12	16	Linkable Slim Stix - 12 inch	SP	Speciality Lighting	4
S601-24	16	Linkable Slim Stix - 24 inch	SP	Speciality Lighting	4
S601-36	16	Linkable Slim Stix - 36 inch	SP	Speciality Lighting	4
S601-48	16	Linkable Slim Stix - 48 inch	SP	Speciality Lighting	4
S601-CCx	16	Connecting Cables: 3", 6", 12", 15", 24", 48"	SP	Speciality Lighting	4
S601-END	16	S601 End View	SP	Speciality Lighting	5
S601-PC	16	Plug & Play Power Connector - 18"	SP	Speciality Lighting	5
S601-SW	16	Switch Box	SP	Speciality Lighting	5
S601-FLEX-CONN	16	Flexible Connector	SP	Speciality Lighting	5
S601-FLEX-CONN 90	16	Flexible Connector - 90° Angle	SP	Speciality Lighting	5
S601-L-CONN	16	90° Hard Left Connector	SP	Speciality Lighting	5
S601-PC-HW	16	Hard Wire Power Connector - 12"	SP	Speciality Lighting	5

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
S601-R-CONN	16	90° Hard Right Connector	SP	Speciality Lighting	5
S602-MC	17	S602, S602P metal mounting clip (2 per fixture included, req.	SP	Speciality Lighting	5
S602P-END	17	LED SlimStix - End View	SP	Speciality Lighting	5
S602P-08 top view	17	LED SlimStix - Top View, 24V, 08", 3.31W	SP	Speciality Lighting	5
S602P-12 top view	17	LED SlimStix - Top View, 24V, 12", 4.97W	SP	Speciality Lighting	5
S602P-24 top view	17	LED SlimStix - Top View, 24V, 24", 9.94W	SP	Speciality Lighting	5
S602P-36 top view	17	LED SlimStix - Top View, 24V, 36", 14.9W	SP	Speciality Lighting	5
S602P-48 top view	17	LED SlimStix - Top View, 24V, 48", 19.9W	SP	Speciality Lighting	5
S650 SEC	9	LED Shelf Light - Section View - 70° Asymmetrical beam spread	SP	Speciality Lighting	
S650-1703 FRONT	9	LED Shelf Light - 17 inch Front View	SP	Speciality Lighting	
S650-3407 FRONT	9	LED Shelf Light - 34 inch Front View	SP	Speciality Lighting	
S650-MC	9	LED Shelf Light - Metal Mounting Clip	SP	Speciality Lighting	
S650-PC	9	LED Shelf Light - 24" Plug & Play Power Connector	SP	Speciality Lighting	
S650-PC-HW	9	LED Shelf Light - 80" Hardwire Power Connector	SP	Speciality Lighting	
S650-PC-CC	9	LED Shelf Light - Plug & Play Power Connecting cable: 6", 12", 24"	SP	Speciality Lighting	
S700 SEC	17	LED Rigid Linear -End Sec	SP		
S700-04 SIDE	17	LED Rigid Linear -4", SIDE VIEW	SP		
S700-04 SIDE W PWR CNCTR	17	LED Rigid Linear -4", SIDE VIEW W/ POWER CONNECTOR	SP		
S700-04 TOP	17	LED Rigid Linear -4", TOP VIEW	SP		
S700-08 SIDE	17	LED Rigid Linear -8", SIDE VIEW	SP		
S700-08 SIDE W PWR CNCTR	17	LED Rigid Linear -8", SIDE VIEW W/ POWER CONNECTOR	SP		
S700-08 TOP	17	LED Rigid Linear -8", TOP VIEW	SP		
S700-12 SIDE	17	LED Rigid Linear -12", SIDE VIEW	SP		
S700-12 SIDE W PWR CNCTR	17	LED Rigid Linear -12", SIDE VIEW W/ POWER CONNECTOR	SP		
S700-12 TOP	17	LED Rigid Linear -12", TOP VIEW	SP		
S700-24 SIDE	17	LED Rigid Linear -24", SIDE VIEW	SP		
S700-24 SIDE W PWR CNCTR	17	LED Rigid Linear -24", SIDE VIEW W/ POWER CONNECTOR	SP		
S700-24 TOP	17	LED Rigid Linear -24", TOP VIEW	SP		
S700-36 SIDE	17	LED Rigid Linear -36", SIDE VIEW	SP		
S700-36 SIDE W PWR CNCTR	17	LED Rigid Linear -36", SIDE VIEW W/ POWER CONNECTOR	SP		
S700-36 TOP	17	LED Rigid Linear -36", TOP VIEW	SP		
S700-48 SIDE	17	LED Rigid Linear -48", SIDE VIEW	SP		
S700-48 SIDE W PWR CNCTR	17	LED Rigid Linear -48", SIDE VIEW W/ POWER CONNECTOR	SP		
S700-48 TOP	17	LED Rigid Linear -48", TOP VIEW	SP		
S700-BSF SIDE	17	LED Rigid Linear Bottom and Side Feed	SP		
S700-DIM	17	S770 In-Line touch on/off and dimmer with memory	SP		
S700-LI SIDE	17	LED Rigid Linear L Connector, Inside Light	SP		
S700-LL FRONT	17	LED Rigid Linear L Connector, Left, Front View	SP		
S700-LO SIDE	17	LED Rigid Linear L Connector, Outside Light	SP		
S700-LR FRONT	17	LED Rigid Linear L Connector, Right	SP		

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
S700-PC12-HW	17	LED Rigid Linear: 12" Power Cord Hardwire Connection	SP		
S700-PC12-WH	17	LED Rigid Linear: 12" Power Cord w/ Plug & Play Connection	SP		
S700-T FRONT	17	LED Rigid Linear T Connector, Front View	SP		
S700-X FRONT	17	LED Rigid Linear X Connector, Front View	SP		
S902-8-xx	17	LED Sleek Plus Undercabinet Lighting - 8" 3.9W, 24V	SP	Speciality Lighting	
S902-12-xx	17	LED Sleek Plus Undercabinet Lighting - 12" 6.3W, 24V	SP	Speciality Lighting	
S902-24-xx	17	LED Sleek Plus Undercabinet Lighting - 24" 11.8W, 24V	SP	Speciality Lighting	
S902-36-xx	17	LED Sleek Plus Undercabinet Lighting - 36" 17.7W, 24V	SP	Speciality Lighting	
S902-48-xx	17	LED Sleek Plus Undercabinet Lighting - 48" 23.6W, 24V	SP	Speciality Lighting	
S902-CC3	17	LED Sleek Plus Undercabinet Lighting - Connecting Cable 3"	SP	Speciality Lighting	
S902-CC3 90	17	LED Sleek Plus Undercabinet Lighting - Connecting Cable 3" right angle	SP	Speciality Lighting	
S902-CCX	17	LED Sleek Plus Undercabinet Lighting - Connecting Cable 6-12-24-48"	SP	Speciality Lighting	
S902-PC	17	LED Sleek Plus Undercabinet Lighting - Plug & Play power connector	SP	Speciality Lighting	
S902-PC-HW	17	LED Sleek Plus Undercabinet Lighting - Hardwire power connector	SP	Speciality Lighting	
SD106CC ELEV	15	Radianz Vertical Series - 3W, 350mA/9V DC elevation, 1'	DL	Lighting Solutions	41
SD107CC-R-8 ELEV	5	Radianz Vertical Series - 3W, 350mA/9V DC elevation, 8"	DL	Lighting Solutions	41
SD107CC-R-12 ELEV	5	Radianz Vertical Series - 3W, 350mA/9V DC elevation, 12"	DL	Lighting Solutions	41
SD107CC-R-20 ELEV	5	Radianz Vertical Series - 3W, 350mA/9V DC elevation, 20"	DL	Lighting Solutions	41
SD107CC-R-PLN	5	Radianz Vertical Series - 3W, 350mA/9V DC Plan View	DL	Lighting Solutions	41
SD 111 CC TOP	15	Mizar Mini Eyeball Top/Front view	SL	Speciality Lighting	25
SD 111 CC SIDE	15	Mizar Mini Eyeball Side View	SL	Speciality Lighting	25
SD120CC-R ELEV	15	Recessed Mnt 350mA;3V DC; 1.2W, elevation	DL	Lighting Solutions	33
SD120CC-R PLN	15	Recessed Mnt 350mA;3V DC; 1.2W, elevation	DL	Lighting Solutions	33
SD 122 CC FRONT	15	Orionis Surface Mnt 24V, 1.25W, 53 lumens	SL	Speciality Lighting	27
SD 122 CC SIDE	15	Orionis Surface Mnt 24V, 1.25W, 53 lumens	SL	Speciality Lighting	27
SD120CC-R SEC 2	5	Radianz Micro Mini Downlight Section	SL	Speciality Lighting	27
SD120CC-R SEC	5	Radianz Micro Mini Downlight Section	SL	Speciality Lighting	27
SD120CC-R SEC 45	15	Radianz Micro Mini Downlight Section 45° angle	SL	Speciality Lighting	27
SG-BM FRONT	16	Commerical Grade Metal Hardwire Box Front	SP		
SG-BM END	16	Commerical Grade Metal Hardwire Box End	SP		
SG-BM SIDE	16	Commerical Grade Metal Hardwire Box Side	SP		
SG-BM TOP	16	Commerical Grade Metal Hardwire Box Top	SP		
SG CONN FEMALE TOP	16	LED Sleek Ultra Connector Female top view	SP		
SG CONN MALE TOP	16	LED Sleek Ultra Connector Male top view	SP		
SG-CC3-C	16	LED Sleek Ultra Linkable Connecting Cable - 3"	SP		
SG-CC3-C 180	16	LED Sleek Ultra Linkable Connecting Cable - 3" Bent 180°	SP		
SG-CC3	16	LED Sleek Ultra Linkable Connecting Cable - 3"	SP		
SG-CC6	16	LED Sleek Ultra Linkable Connecting Cable - 6"	SP		
SG-CC12	16	LED Sleek Ultra Linkable Connecting Cable - 12"	SP		

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
SG-CC12-LL	16	LED Sleek Ultra Linkable Connecting Cable - 12" FRM FRONT	SP		
SG-CC24	16	LED Sleek Ultra Linkable Connecting Cable - 24"	SP		
SG-CC{XX}	16	LED Sleek Ultra Linkable Connecting Cable - 12", 24", 36"	SP		
SG-DC	16	LED Sleek Ultra Linkable Direct Connector	SP		
SG-DC-FLEX	16	LED Sleek Ultra Linkable Direct Connector Flexible (Proposed)	SP		
SG-DC-FLEX 90	16	LED Sleek Ultra Linkable Direct Connector Flexible (Proposed)	SP		
SG-LED-12-SIDE	16	LED Sleek Ultra Linkable 12" Side view	SP		
SG-LED-12-TOP	16	LED Sleek Ultra Linkable 12" Top View	SP		
SG-LED-24-SIDE	16	LED Sleek Ultra Linkable 24" Side view	SP		
SG-LED-24-TOP	16	LED Sleek Ultra Linkable 24" Top View	SP		
SG-LED-36-SIDE	16	LED Sleek Ultra Linkable 36" Side view	SP		
SG-LED-36-TOP	16	LED Sleek Ultra Linkable 36" Top View	SP		
SG-LED-48-SIDE	16	LED Sleek Ultra Linkable 48" Side view	SP		
SG-LED-48-TOP	16	LED Sleek Ultra Linkable 48" Top View	SP		
SG-LED-60-TOP	16	LED Sleek Ultra Linkable 60" Top View	SP		
SG-LED-END	16	LED Sleek Ultra Linkable End View	SP		
SG-MC-A	16	Mounting Clip Adjustable	LR		
SG-MC-V	16	Mounting Clip for 0° vertical Mount	LR		
SG-MC-45	16	Mounting Clip for 45°	LR		
SG-PC24-WH	16	Power Cord 3-Prong - 2' White	LR		
SG-PCL	16	Power Cord & 3-Prong - 6' White - From Back	SP		
SG-PCLL	16	Power Cord & 3-Prong - 6' White - From Front	SP		
SG-PC72-W TOP	16	Power Cord & 3-Prong - 6' White - Top view	SP		
SG-PC72-W SIDE	16	Power Cord & 3-Prong - 6' White - Side view	SP		
SHOW BABY 5702 END ELEV	10A	City Theatrical Show Baby Wireless Transreceiver			
SKYLINE MINI INGRND BURIAL HOUSING SEC	10B	Skyline Mini Inground burial housing			
SKYLINE MINI INGRND EXPLODED	10B	Skyline Mini Inground exploded view			
SKYLINE MINI INGRND HOUSING W LT ENG	10B	Skyline Mini Inground w/ Light Engine			
SKYLINE MINI INGRND ORTHO	10B	Skyline Mini Inground Ortho View			
SKYLINE MINI INGRND PWR CABLES	10B	Skyline Mini Inground Power Cables Line & Load			
SKYLINE MINI INGRND TOP	10B	Skyline Mini Inground Top View			
SLT15-24V LED PWR SPLY SIDE	7	LED Power Supply 24 volt side view	LOW		
SLT15-24V LED PWR SPLY TOP	7	LED Power Supply 24 volt top view	LOW		
ST-MC-MMC-CL	15	Smart Track -Mounting Clips End and Mid	SL	Lighting Solutions	28
ST-PF-I	15	Smart Track - Input Power Feed	SL	Lighting Solutions	28
ST-PF-I ELEV SIDE	15	Smart Track - Input Power Feed Elevation Side View	SL	Lighting Solutions	28
ST-PF-I TOP	15	Smart Track - Input Power Feed Top View	SL	Lighting Solutions	28
ST-PF-O	15	Smart Track - Output Power Feed	SL	Lighting Solutions	28
ST-PF-O ELEV SIDE	15	Smart Track - Output Power Feed Elevation Side	SL	Lighting Solutions	28

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
ST-PF-O TOP	15	Smart Track - Output Power Feed Top View	SL	Lighting Solutions	28
ST-TR4	15	Smart Track - 4' (47.25")	SL	Lighting Solutions	28
ST-TR5	15	Smart Track - 5' (60")	SL	Lighting Solutions	28
ST-TR8	15	Smart Track - 8' (96")	SL	Lighting Solutions	28
TRACK SECTION H	18	Track Lighting Track Single Circuit Section	TS	Illuminescence	66
TRACK SECTION H1	18	Track Lighting Track Single Circuit Section H1	TS	Illuminescence	66
TR2	18	Track Lighting Single Circuit 2'	TS	Illuminescence	66
TR4	18	Track Lighting Single Circuit 4'	TS	Illuminescence	66
TR6	18	Track Lighting Single Circuit 6'	TS	Illuminescence	66
TR8	18	Track Lighting Single Circuit 8'	TS	Illuminescence	66
TRACK ADAPTER TOP VIEW	18	Track Adapter Top View Long	TS	Illuminescence	
WLTC22	14	2x2 Flat Panel Led Troffer			
WW2B13NW30BK BOTTOM	10	LED Outdoor Wall Washer -54W Bottom View Base	LOW	WW2 LED WALL	
WW2B13NW30BK END	10A	LED Outdoor Wall Washer -54W End View	LOW	WW2 LED WALL	
WW2B13NW30BK END 45	10A	LED Outdoor Wall Washer -54W End View - 45° Angle	LOW	WW2 LED WALL	
WW2B13NW30BK SIDE	10A	LED Outdoor Wall Washer -54W Side View	LOW	WW2 LED WALL	
WW2B13NW30BK TOP	10A	LED Outdoor Wall Washer -54W Top View	LOW	WW2 LED WALL	
WW2R6 SEC	10A	LED Outdoor Wall Washer - 6" 20W Section/Elevation	LOW	WW2 LED WALL	
WW2R6 TOP HW	10A	LED Outdoor Wall Washer - 6" 20W Top View Hard Wire	LOW	WW2 LED WALL	4
WW2R6 TOP PLUG	10A	LED Outdoor Wall Washer - 6" 20W Top View Plug	LOW	WW2 LED WALL	4
WW2R8 SEC	10A	LED Outdoor Wall Washer - 8" 46W Section/Elevation	LOW	WW2 LED WALL	4
WW2R8 TOP HW	10A	LED Outdoor Wall Washer - 8" 46W Top View	LOW	WW2 LED WALL	
WW2R8 TOP PLUG	10A	LED Outdoor Wall Washer - 8" 46W Top View	LOW	WW2 LED WALL	
WW2S18 FRONT	10A	LED Outdoor Wall Washer - RGB 21W	LOW	WW2 LED WALL	
WW2S18 FRONT CABLES	10A	LED Outdoor Wall Washer - RGB 21W	LOW	WW2 LED WALL	
WW2S24 FRONT	10A	LED Outdoor Wall Washer - RGB 24W	LOW	WW2 LED WALL	
WW2S24 FRONT CABLES	10A	LED Outdoor Wall Washer - RGB 24W	LOW	WW2 LED WALL	
WW2S36 FRONT	10A	LED Outdoor Wall Washer - RGB 42W	LOW	WW2 LED WALL	
WW2S36 FRONT CABLES	10A	LED Outdoor Wall Washer - RGB 42W	LOW	WW2 LED WALL	
WW2S48 END	10A	LED Outdoor Wall Washer - RGB 55W	LOW	WW2 LED WALL	
WW2S48 END Full Louver	10A	LED Outdoor Wall Washer - RGB 55W	LOW	WW2 LED WALL	
WW2S48 FRONT	10A	LED Outdoor Wall Washer - RGB 55W	LOW	WW2 LED WALL	
WW2S48 FRONT Cables	10A	LED Outdoor Wall Washer - RGB 55W	LOW	WW2 LED WALL	
WW2S48 FRONT Cables Full Louver	10A	LED Outdoor Wall Washer - RGB 55W	LOW	WW2 LED WALL	
WW2S MNT BRACKET	10A	LED Outdoor Wall Washer - Strip Mount Bracket	LOW	WW2 LED WALL	
WW2S48 SIDE w MNT BRCKTS	10A	LED Outdoor Wall Washer - Side View w/ Mount Brackets	LOW	WW2 LED WALL	
XLR FEMALE CONNECTOR	10A	3-PIN XLR CONNECTOR FEMALE	LOW	WW2 LED WALL	
XLR MALE CONNECTOR	10A	3-PIN XLR CONNECTOR MALE	LOW	WW2 LED WALL	

Note: All CAD blocks are preceded by JESCO

JESCO CAD BLOCKS INDEX

JESCO CAD blocks Index - Updated January 1, 2021

TOTAL BLOCKS: 874

CAD Block Name/Catalogue Number NOTE: All CAD Blocks are preceded by JESCO	Dwg Layout	Description	Prod Line	Catalogue	Page
--	---------------	-------------	--------------	-----------	------

TOTAL CAD BLOCKS: 874

PRODUCT LINE

APWS = Architectural Pendants & Wall Sconces
DL = Display Lighting
E = Envisage
LA = Lamps
LDA = LED Drivers & Accessories
LF = Linear LED Flexible
LR = Linear LED Rigid
LOW = LED Outdoor & Wall Washers
MD = Modular Directionals

MS = Monorail System
O = Other
RD = Recessed Downlighting
SADI = Savant Direct / Indirect
SL = Speciality Lighting
SP = Sleek Plus
TS = Track Systems
TA = Transformers / Accessories