L519L

120V LED WALL WASHER/FLOOD TRACKHEAD TRACK LIGHTING • LARGE

Fixture Type	
Project	
Notes	

±175° vertical aim adjustment with +90° aim indicator mark every 15°

shown with **L519LLV** optical Louver accessory. Louver is designed to provide additional light shielding and glare reduction when needed.

J2 Compatible

H2 Compatible

L2 Compatible

Line voltage LED track fixture suitable for retail, commercial and hospitality wall wash/flood application. Robust aluminum housing provides light weight, durability and clean lines. A construction of die-cast aluminum end caps, extruded aluminum housing, no exposed wiring, and texture powder coat paint. ±175° vertical aim adjustment with ±90° aim indicator mark. Provides electrical and mechanical connection to single or two circuit track. 2-circuit Track Adapter with built-in on/off switch.

120V AC · TRIAC DIMMABLE · ELV DIMMABLE · 3SDCM · DRY INDOOR · L70 50,000 HOURS · 5 YEAR WARRANTY · Intertek

SPECIFICATIONS

INPUT VOLTAGE	120V AC
WATTAGE	62 W
EFFICACY	79 Lm/W
LUMENS	4852 Lm @3000K
CCT/CRI	2700K, 3000K, 3500K, 4000K / 90CRI
POWER FACTOR / THD	≥ 0.9 / ≤ 20%
FEATURES	±175° vertical aim adjusment, ±90° aim indicator
DIMMING[1]	10%, refer to recommended dimmers list
	TRIAC (forward-phase or leading edge)
	ELV (reverse-phase or trailing-edge)
DIMENSIONS (see pg 3)	23 ½" L x 3 ¾" W x 5" Ext (597mm x 96mm x 127mm)
COLOR CONTROL	3-Step MacAdam ellipse

OPTICS	Built-in matte lens provides a diffuse, uniform wall wash beam spread. Protects LED and optical components from contaminants. And L519LLV (sold separately).
TEMPERATURE	25°C (77°F) ambient, custom designed concealed heatsink provides optimal thermal management and silent operation to yield over 70% lumen
ENVIROMENT	Indoor - Dry
CERTIFICATIONS	cETLus
LUMEN MAINTENANCE	50,000 hours
WARRANTY[2]	5 years

[1] 5%, refer to recommended dimmers list TRIAC (forward-phase or leading edge), ELV (reverse-phase or trailing-edge)

[2] See published warranty terms for detailed information

INSTALL · IES 3000K

ORDERING INFO

SYSTEM	SERIES	CCT / CRI	FINISH
H2 - H1 or H2 track[1]	**L519L** - Track Wall Wash Flood	**2790** - 2700K / 90 CRI	**B** - Black
J2 - J1 or J2 track[2]		**3090** - 3000K / 90 CRI	**W** - White
L2 - L1 or L2 track[3]		**3590** - 3500K / 90 CRI	
		4090 - 4000K / 90 CRI	

* Contact factory for details

[1] JESCO J, J1, J2 Track or Juno Track-Master. Juno is registered Trademark of Juno Lighting.

[2] JESCO H, H1 Track or Halo Power-Track. Halo is registered Trademark of Cooper Lighting.

[3] JESCO L Track or Lightolier Lytespan Track. Lightolier is registered Trademark of Philips Lighting.

NY 15 Harbor Park Drive Port Washington, NY 11050 | Main 800 527 7796 Fax 855 265 5768 | **CA** 219 South 6th Ave City of Industry, CA 91746 | Main 800 527 7796 Fax 855 265 5768 | support@jescolighting.com Tech Support 855 592 0029

© 2025 JESCO LIGHTING GROUP, LLC

Specifications subject to change without notice REV. 03/05/2025

L519L

120V LED WALL WASHER/FLOOD TRACKHEAD
TRACK LIGHTING • LARGE

Fixture Type	
Project	
Notes	

RECOMMENDED DIMMERS

COOPER[1]	DLC03P, DAL06P, SLC03P
LUTRON[2]	S-603PG, DVCL-153P, DV-600P, TGCL-153P
LUTRON	SELV-300P, TG-600P, LG-600P, S-600P, MAELV-600, FAELV-500, DVELV-303P
LEVITON[3]	IPI06-1LZ, IPE04, VPE06, 6683-IW, 6161, 6633-P
LIGHTOLIER[4]	ZPE260QEW

Notes:
[1]Cooper is a registered trademark of Eaton
[2]Lutron is a registered trademark of Lutron Electronics, Inc.
[3]Leviton is a registered trademark of Leviton Mfg. Co., Inc.
[4]Lightolier is a registered trademark of Philips Lighting.

JESCO recommends testing your unique dimming configuration as the exact application may affect dimming performance.

APPLICATION DATA •CCT Correction Factor

CCT	CRI	FACTOR
2700K	90	0.98

CCT	CRI	FACTOR
3000K	90	1.00

CCT	CRI	FACTOR
3500K	90	1.03

CCT	CRI	FACTOR
4000K	90	1.08

FOOTCANDLES ON WALL



	Single Unit						Multiple Units								
							4′			6′			8′		
Distance from ceiling	0'	1'	2'	3'	4'	5'									
1'	133	131	106	66	36	18	189	187	192	153	103	150	139	53	140
2'	122	119	99	62	35	18	179	176	181	141	100	139	127	53	129
3'	103	107	86	59	34	18	160	159	161	123	94	121	116	51	110
4'	71	74	63	46	28	17	123	123	124	89	78	90	82	45	79
5'	47	50	52	35	23	14	89	90	90	65	59	64	58	37	55
6'	28	28	26	21	16	11	60	60	61	43	41	44	36	29	36
7'	18	19	17	15	12	9	44	44	45	31	32	32	26	23	26
8'	12	13	12	11	9	7	32	33	33	23	24	24	19	18	19
9'	8	8	8	7	6	5	24	24	24	17	18	18	14	14	14



	Single Unit						Multiple Units								
							4′			6′			8′		
Distance from ceiling	0'	1'	2'	3'	4'	5'									
1'	83	83	72	51	33	19	141	140	142	105	88	104	90	56	92
2'	80	80	70	50	33	20	139	138	140	102	88	102	88	53	89
3'	73	75	65	49	33	20	132	132	133	96	85	96	81	53	83
4'	59	61	54	42	29	19	114	115	116	82	77	83	69	49	70
5'	44	46	41	34	25	17	92	93	93	66	63	66	54	52	55
6'	30	31	28	23	19	14	69	70	71	49	49	50	40	35	41
7'	21	22	20	18	14	11	53	54	54	38	38	39	30	28	31
8'	15	15	14	13	11	9	41	41	42	29	30	30	24	23	24
9'	11	11	10	9	8	7	31	32	32	22	23	23	18	18	18



	Single Unit						Multiple Units								
							4′			6′			8′		
Distance from ceiling	0'	1'	2'	3'	4'	5'									
1'	56	56	51	39	28	18	110	109	111	78	73	79	65	48	67
2'	56	56	50	39	28	19	111	110	112	79	74	80	65	49	67
3'	54	54	49	39	29	19	110	109	111	77	74	79	63	49	65
4'	48	48	44	36	27	19	102	102	103	72	70	73	58	48	60
5'	38	39	36	31	24	17	88	87	89	62	61	63	50	43	51
6'	29	30	28	24	19	15	82	71	73	51	51	52	41	37	42
7'	22	22	21	19	16	13	58	58	59	41	42	43	33	31	34
8'	16	17	16	15	13	10	47	46	48	33	34	35	26	26	27
9'	12	12	12	11	10	8	38	37	38	27	28	28	21	21	22

NY 15 Harbor Park Drive Port Washington, NY 11050 Main 800 527 7796 Fax 855 265 5768
CA 219 South 6th Ave City of Industry, CA 91746 Main 800 527 7796 Fax 855 265 5768
support@jescolighting.com Tech Support 855 592 0029

© 2025 JESCO LIGHTING GROUP, LLC

L519L

120V LED WALL WASHER/FLOOD TRACKHEAD
TRACK LIGHTING • LARGE

Fixture Type	
Project	
Notes	

ACCESSORIES

Optional, field installed



PART NUMBER	**L519LLV-(B or W)**
DESCRIPTION	Optional Louver in Black or White (sold separately)

TECHNICAL DRAWING



NY 15 Harbor Park Drive
Port Washington, NY 11050
Main 800 527 7796
Fax 855 265 5768

CA 219 South 6th Ave
City of Industry, CA 91746
Main 800 527 7796
Fax 855 265 5768

support@jescolighting.com
Tech Support 855 592 0029

© 2025 JESCO LIGHTING GROUP, LLC